


Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

ASB252
AIU5

COTTON QUALITY CROP OF 2001



U. S. DEPARTMENT OF AGRICULTURE
Agricultural Marketing Service - Cotton Program
Memphis, Tennessee

Vol. 75, No. 6 – Annual Report
Bales Classed 08/01/01 - 03/28/02

May 2002

NATL. USDA
USDA
NATL. LIBRARY
2002 AUG 30
2002 JUN 18 P 3:46 41
CURRENT SERIALS SECTION
ACU/SERIALS SECTION

COTTON QUALITY - UNITED STATES

2001 Crop

Color. The predominant color of upland cotton classed from the 2001 crop was color 31, accounting for 35 percent of classings, according to the USDA, Agricultural Marketing Service, Cotton Program. Color 31 was the predominant in color grade in 2000 and made up 31 percent of classings. In the white color grades, color 41 and better made up 82 percent of classings, up from 80 percent in 2000. All white color grades accounted for 84 percent of the 2001 crop, up from 83 percent in 2000. Light Spotted color grades comprised 14 percent of classings, down from 16 percent in 2000. Spotted color grades made up about 2 percent of classings this season, as compared to 1 percent a year earlier. Tinged, Stained and Below color grades accounted for less than 1 percent of classings this season, the same as last year.

Leaf. The predominant leaf grade of upland cotton classed from the 2001 crop was leaf grade 3, accounting for 56 percent of upland classings. Leaf grade 3 was the predominant leaf grade a year earlier, making up 54 percent of classings. Leaf grades 1-2 comprised the next highest percentage from the 2001 crop at 21 percent against 24 percent a year ago. Leaf grade 4 made up 22 percent of classings from this year's crop, compared with 19 percent in 2000. Leaf grades 5-7 made up about 2 percent of classings, as compared to 3 percent last year.

Staple. The average staple length of upland cotton classed from the 2001 crop was 34.5 thirty-seconds inches, up slightly from 34.2 a year ago. The predominant staple length was 34, making up about 29 percent of classings. Staple 34 was the predominant length last year, accounting for 26 percent of classings. Staples 31 and shorter comprised 2 percent of classings this season, down from 5 percent last year. Staples 32 and 33, at 21 percent, were down from 26 percent the previous year. Staple 35 made up 26 percent of the crop, up from 22 percent last year. Staples 36 and longer accounted for 22 percent of classings, up from 20 percent the previous year.

Mike. The average mike of upland cotton classed from the 2001 crop was 4.6, up from 4.3 last year. Cotton with mike 3.4 and lower made up 2 percent of classings against 6 percent in 2000. Cotton miking 3.5 through 4.9 comprised 76 percent of the classings this season, down from 86 percent a year ago. Cotton with mike 5.0 and higher made up 21 percent of the classings, up from 8 percent in 2000.

Strength. The average fiber strength of upland cotton classed from the 2001 crop was 28.3 grams per tex, compared with 27.6 in 2000. Strengths in the 22 grams per tex and lower range accounted for less than 1 percent of classings, the same as last year. Strengths in the 23 to 25 range accounted for 7 percent compared to 16 percent last year. Cotton with strengths of 26 to 29 grams per tex accounted for 68 percent of classings, against 64 percent a year ago. Strengths in the 30 and higher range comprised 24 percent of classings, up from 19 percent a year ago.

American Pima. Color grades 1 and 2 made up 93 percent of classings from the 2001 crop, up from 81 percent for the composite grades 1 and 2 last year. Color grade 2 was the predominant color grade in 2001, accounting for 51 percent of the classings. Color grades 3 and lower comprised 7 percent of 2001 classings. Leaf grades 1 and 2 accounted respectively for 66 percent and 30 percent of the 2001 classings. The average staple length was 46.0 thirty-seconds inches, as compared to 45.6 last year. Staple 46 was the predominant length, comprising 64 percent of classings this season, compared to 68 percent in 2000. Average mike was 4.1, the same as last year. Average fiber strength was 40.1 grams per tex, up from 39.3 last year.

Ginnings of 2001-crop cotton in the United States totaled 19,771,200 running bales, according to the Cotton Ginnings 2001 Summary report released on May 10, 2002 by the Agricultural Statistics Board, National Agricultural Statistics Service, USDA. This total includes 19,093,500 bales of upland and 677,700 bales of American Pima cotton. The number of active cotton gins for crop year 2001 was 970 compared with 1,018 in 2000. Classings at AMS, Cotton Program Offices totaled 19,039,075 upland samples and 664,850 American Pima samples through March 28, 2002.

May 16, 2002

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through 2001 Crop

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	5	96	1,625	11,010	58,524	177,538	381,747	594,321	1,224,866
	3	2	95	1,166	6,469	27,500	92,907	254,049	451,253	833,441
	4	-	2	58	454	2,297	7,332	20,130	38,311	68,584
	5	-	-	3	23	102	388	773	1,079	2,368
	6	-	-	-	2	6	11	16	34	69
	7	-	-	-	-	-	-	-	-	-
	TOTAL—	7	193	2,852	17,958	88,429	278,176	656,715	1,084,998	2,129,328
31	1-2	-	16	230	1,479	8,258	41,686	120,748	166,911	339,328
	3	21	118	699	3,960	28,040	185,097	822,887	1,571,515	2,612,337
	4	1	20	267	1,365	7,118	34,077	156,939	400,986	600,773
	5	-	1	37	139	698	2,693	8,165	17,280	29,013
	6	-	-	2	13	35	180	337	787	1,354
	7	-	-	-	1	-	12	26	28	67
	TOTAL—	22	155	1,235	6,957	44,149	263,745	1,109,102	2,157,507	3,582,872
41	1-2	-	4	23	190	1,065	5,524	18,841	29,073	54,720
	3	6	43	228	1,414	11,445	83,914	398,142	813,569	1,308,761
	4	1	20	318	1,139	6,114	34,077	154,285	409,468	605,422
	5	1	7	63	337	1,485	6,157	16,574	30,710	55,334
	6	-	1	10	51	256	1,098	2,704	3,679	7,799
	7	-	-	-	6	24	88	202	477	797
	TOTAL—	8	75	642	3,137	20,389	130,858	590,748	1,286,976	2,032,833
51	1-2	-	-	1	19	148	722	2,269	3,302	6,461
	3	-	-	6	193	1,834	11,449	44,738	82,751	140,971
	4	-	2	14	88	945	5,655	20,162	44,555	71,421
	5	-	-	3	54	276	962	2,585	4,665	8,545
	6	-	-	1	19	131	398	816	814	2,179
	7	-	-	1	9	48	124	226	221	629
	TOTAL—	-	2	26	382	3,382	19,310	70,796	136,308	230,206
61	1-2	-	-	-	1	28	49	71	60	209
	3	-	-	-	4	70	279	721	1,047	2,121
	4	-	-	-	11	75	318	648	842	1,894
	5	-	-	-	2	18	79	186	185	470
	6	-	-	-	-	2	15	41	57	115
	7	-	-	-	-	-	1	7	4	12
	TOTAL—	-	-	-	18	193	741	1,674	2,195	4,821
71	1-2	-	-	-	-	2	1	1	3	7
	3	-	-	-	-	4	24	23	16	67
	4	-	-	-	-	-	7	26	14	47
	5	-	-	-	-	-	4	3	5	12
	6	-	-	-	-	1	2	2	2	7
	7	-	-	-	-	-	1	2	-	3
	TOTAL—	-	-	-	-	7	39	57	40	143
12 & 22	1-2	2	40	470	2,710	11,091	24,636	39,273	49,216	127,438
	3	-	51	590	2,404	8,703	21,380	35,421	44,721	113,270
	4	1	5	47	299	1,008	2,663	4,943	6,616	15,582
	5	-	-	5	13	49	103	225	283	678
	6	-	-	-	-	-	4	3	9	16
	7	-	-	-	-	-	-	-	-	-
	TOTAL—	3	96	1,112	5,426	20,851	48,786	79,865	100,845	256,984
32	1-2	13	14	139	678	2,951	9,537	17,199	16,549	47,080
	3	21	163	670	2,355	10,350	37,393	102,795	131,752	285,499
	4	5	72	359	1,336	4,226	11,538	27,669	49,862	95,067
	5	-	3	61	195	545	1,519	2,867	3,784	8,974
	6	-	-	8	14	47	98	193	175	535
	7	-	1	2	2	5	4	23	11	48
	TOTAL—	39	253	1,239	4,580	18,124	60,089	150,746	202,133	437,203
42	1-2	-	9	32	237	942	2,915	5,348	5,108	14,591
	3	1	46	543	3,074	12,450	48,204	152,817	217,115	434,250
	4	1	23	279	1,775	7,350	25,617	93,040	184,922	313,007
	5	1	13	58	624	2,505	6,737	12,558	17,077	39,573
	6	-	8	27	112	637	1,777	2,326	2,275	7,162
	7	-	3	9	15	50	206	271	259	813
	TOTAL—	3	102	948	5,837	23,934	85,456	266,360	426,756	809,396
52	1-2	-	1	10	145	869	2,065	2,205	1,889	7,184
	3	-	6	207	1,501	7,319	16,707	27,953	29,415	83,108
	4	-	7	147	913	3,226	8,963	23,192	38,296	74,744
	5	-	2	34	283	681	1,287	2,997	5,104	10,388
	6	-	-	4	94	378	723	800	757	2,756
	7	-	-	5	43	158	257	258	188	909
	TOTAL—	-	16	407	2,979	12,631	30,002	57,405	75,649	179,089

Table 1. -- **United States:** Distribution of color, leaf and staple for upland cotton classed through 2001 Crop

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	-	1	67	411	626	174	57	1,336
	3	-	-	4	126	751	2,035	2,268	962	6,146
	4	-	-	2	38	258	658	932	853	2,741
	5	-	-	-	3	25	73	143	239	483
	6	-	-	-	2	3	7	42	63	117
	7	-	-	-	2	-	4	7	8	21
TOTAL—		-	-	7	238	1,448	3,403	3,566	2,182	10,844
13 & 23	1-2	1	1	32	220	944	2,046	3,783	5,077	12,104
	3	-	2	45	263	958	2,128	3,552	4,707	11,655
	4	-	1	19	101	198	353	465	592	1,729
	5	-	-	5	11	9	25	36	39	125
	6	-	-	-	-	-	-	1	-	1
	7	-	-	-	-	-	-	-	-	-
TOTAL—		1	4	101	595	2,109	4,552	7,837	10,415	25,614
33	1-2	4	2	18	151	618	1,930	4,163	4,569	11,455
	3	3	21	82	427	1,773	5,534	12,978	17,814	38,632
	4	-	3	40	207	777	1,809	3,448	5,269	11,553
	5	-	1	8	41	195	292	501	566	1,604
	6	-	-	-	2	11	36	46	30	125
	7	-	-	-	1	-	1	1	6	9
TOTAL—		7	27	148	829	3,374	9,602	21,137	28,254	63,378
43	1-2	-	-	8	58	214	698	1,203	1,170	3,351
	3	-	14	207	647	1,904	6,515	16,775	22,983	49,045
	4	1	6	98	357	1,339	4,169	10,997	18,176	35,143
	5	-	2	20	138	598	1,465	2,251	2,699	7,173
	6	-	1	2	28	122	407	479	414	1,453
	7	-	-	-	2	18	29	46	41	136
TOTAL—		1	23	335	1,230	4,195	13,283	31,751	45,483	96,301
53	1-2	-	1	13	149	613	1,071	825	406	3,078
	3	-	4	114	861	3,409	8,179	10,700	6,772	30,039
	4	-	-	38	424	1,407	3,647	7,323	7,801	20,640
	5	-	-	9	150	327	481	992	1,193	3,152
	6	-	-	5	44	104	89	133	155	530
	7	-	-	2	8	16	21	38	38	123
TOTAL—		-	5	181	1,636	5,876	13,488	20,011	16,365	57,562
63	1-2	-	-	1	94	392	316	125	37	965
	3	-	1	11	463	2,435	3,913	3,670	1,450	11,943
	4	-	-	8	158	961	2,105	2,308	1,415	6,955
	5	-	-	2	30	162	376	379	315	1,264
	6	-	-	1	14	8	20	21	48	112
	7	-	-	-	3	4	1	-	1	9
TOTAL—		-	1	23	762	3,962	6,731	6,503	3,266	21,248
24-54	1-7	-	4	50	322	1,038	2,919	6,808	9,796	20,937
25-35	1-7	-	-	-	-	1	3	6	8	18
81-85 1/	1-7	-	-	12	334	1,636	3,020	3,053	2,018	10,073
All Colors	8 2/	-	3	8	33	96	197	357	415	1,109
TOTAL, ALL—		91	959	9,326	53,253	255,824	974,400	3,084,497	5,591,609	9,969,959

Table 1. -- **United States:** Distribution of color, leaf and staple for upland cotton classed through 2001 Crop

QUALITY	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 &+	35 to 40+	
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	641,891	563,894	374,565	97,471	16,056	1,670	1,695,547	2,920,413
	3	421,608	339,454	220,703	55,169	12,940	5,183	1,055,057	1,888,498
	4	35,368	19,262	10,625	2,231	496	115	68,097	136,681
	5	864	371	206	29	7	2	1,479	3,847
	6	19	7	6	1	1	-	34	103
	7	-	-	1	-	-	-	1	1
TOTAL—		1,099,750	922,988	606,106	154,901	29,500	6,970	2,820,215	4,949,543
31	1-2	134,199	79,590	36,417	8,265	1,058	86	259,615	598,943
	3	1,250,969	561,652	151,791	24,213	4,283	1,537	1,994,445	4,606,782
	4	424,871	224,372	65,071	7,001	1,299	162	722,776	1,323,549
	5	17,930	9,397	3,544	606	134	14	31,625	60,638
	6	683	289	138	52	9	1	1,172	2,526
	7	36	14	16	7	-	1	74	141
TOTAL—		1,828,688	875,314	256,977	40,144	6,783	1,801	3,009,707	6,592,579
41	1-2	24,022	10,546	3,112	544	39	2	38,265	92,985
	3	659,421	279,801	59,602	3,875	605	23	1,003,327	2,312,088
	4	500,411	276,886	66,391	4,743	871	15	849,317	1,454,739
	5	37,201	23,570	6,575	888	170	8	68,412	123,746
	6	2,570	1,215	576	119	17	1	4,498	12,297
	7	252	109	119	24	4	-	508	1,305
TOTAL—		1,223,877	592,127	136,375	10,193	1,706	49	1,964,327	3,997,160
51	1-2	2,774	1,363	306	14	1	-	4,458	10,919
	3	67,004	32,395	6,049	227	15	-	105,690	246,661
	4	51,390	31,414	6,982	656	63	337	90,842	162,263
	5	5,662	3,556	1,018	269	71	-	10,576	19,121
	6	552	365	211	54	14	2	1,198	3,377
	7	122	55	59	11	-	-	247	876
TOTAL—		127,504	69,148	14,625	1,231	185	4	212,697	442,903
61	1-2	48	26	6	1	-	-	81	290
	3	675	251	66	7	2	-	1,001	3,122
	4	643	216	68	8	1	-	936	2,830
	5	177	87	45	7	-	-	316	786
	6	45	27	46	10	-	-	128	243
	7	1	8	2	1	-	-	12	24
TOTAL—		1,589	615	233	34	3	-	2,474	7,295
71	1-2	7	2	1	-	-	-	10	17
	3	12	12	2	-	-	-	26	93
	4	11	8	10	-	-	1	30	77
	5	4	1	2	-	-	-	7	19
	6	1	1	3	-	-	-	5	12
	7	-	1	-	-	-	-	1	4
TOTAL—		35	25	18	-	-	1	79	222
12 & 22	1-2	36,741	17,341	8,175	1,895	333	43	64,528	191,966
	3	31,476	16,473	9,156	2,229	448	56	59,838	173,108
	4	5,528	2,383	1,154	205	69	15	9,354	24,936
	5	213	87	41	5	1	-	347	1,025
	6	4	1	1	-	-	-	6	22
	7	-	-	-	-	-	-	-	-
TOTAL—		73,962	36,285	18,527	4,334	851	114	134,073	391,057
32	1-2	9,255	3,869	2,195	635	87	7	16,048	63,128
	3	77,828	30,990	12,222	3,073	475	155	124,743	410,242
	4	43,807	18,819	5,946	998	227	33	69,830	164,897
	5	3,313	1,517	444	129	49	6	5,458	14,432
	6	154	74	19	15	6	3	271	806
	7	5	4	2	2	2	-	15	63
TOTAL—		134,362	55,273	20,828	4,852	846	204	216,365	653,568
42	1-2	2,494	948	558	296	13	-	4,309	18,900
	3	126,813	46,206	9,813	978	154	28	183,992	618,242
	4	173,371	79,070	16,816	641	88	5	269,991	582,998
	5	15,613	8,007	2,075	212	66	5	25,978	65,551
	6	1,217	532	173	62	27	-	2,011	9,173
	7	170	52	22	6	2	-	252	1,065
TOTAL—		319,678	134,815	29,457	2,195	350	38	486,533	1,295,929
52	1-2	837	243	58	16	3	-	1,157	8,341
	3	16,617	6,732	1,594	170	9	2	25,124	108,232
	4	32,049	13,300	2,280	81	7	3	47,720	122,464
	5	5,524	2,856	493	22	6	3	8,904	19,292
	6	541	253	76	12	8	1	891	3,647
	7	124	30	13	3	2	-	172	1,081
TOTAL—		55,692	23,414	4,514	304	35	9	83,968	263,057

Table 1. -- **United States**: Distribution of color, leaf and staple for upland cotton classed through
2001 Crop

QUALITY	LEAF	STAPLE							TOTAL
		35	36	37	38	39	40 &+	35 to 40+	
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	20	6	3	1	-	-	30	1,366
	3	427	223	98	5	-	-	753	6,899
	4	531	164	96	8	1	4	804	3,545
	5	130	58	8	2	1	-	199	682
	6	38	13	9	2	-	-	62	179
	7	13	4	3	1	-	-	21	42
TOTAL—		1,159	468	217	19	2	4	1,869	12,713
13 & 23	1-2	3,691	1,543	604	105	7	-	5,950	18,054
	3	3,198	1,398	595	116	12	3	5,322	16,977
	4	426	198	52	5	2	-	683	2,412
	5	19	11	-	-	-	-	30	155
	6	1	-	-	-	-	-	1	2
	7	-	-	-	-	-	-	-	-
TOTAL—		7,335	3,150	1,251	226	21	3	11,986	37,600
33	1-2	2,987	1,510	630	108	13	4	5,252	16,707
	3	12,744	6,571	3,338	935	89	20	23,697	62,329
	4	4,507	1,926	823	223	20	13	7,512	19,065
	5	320	145	82	9	3	-	559	2,163
	6	16	9	3	-	-	-	28	153
	7	2	1	-	-	-	-	3	12
TOTAL—		20,576	10,162	4,876	1,275	125	37	37,051	100,429
43	1-2	800	362	306	130	4	1	1,603	4,954
	3	15,069	7,051	2,989	697	57	11	25,874	74,919
	4	15,149	6,841	2,268	347	30	7	24,642	59,785
	5	1,845	805	296	50	16	1	3,013	10,186
	6	198	82	21	16	9	1	327	1,780
	7	26	8	3	4	1	-	42	178
TOTAL—		33,087	15,149	5,883	1,244	117	21	55,501	151,802
53	1-2	133	50	42	18	-	-	243	3,321
	3	3,088	1,174	691	130	6	4	5,093	35,132
	4	4,958	1,780	454	59	4	-	7,255	27,895
	5	895	388	83	7	1	-	1,374	4,526
	6	83	52	29	4	-	-	168	698
	7	26	6	-	6	1	-	39	162
TOTAL—		9,183	3,450	1,299	224	12	4	14,172	71,734
63	1-2	3	4	3	-	-	-	10	975
	3	308	92	98	7	-	-	505	12,448
	4	477	117	119	16	1	-	730	7,685
	5	200	55	24	1	-	-	280	1,544
	6	63	52	14	-	-	-	129	241
	7	1	2	-	2	-	-	5	14
TOTAL—		1,052	322	258	26	1	-	1,659	22,907
24-54	1-7	7,581	3,679	2,072	578	44	4	13,958	34,895
25-35	1-7	6	3	-	-	-	-	9	27
81-85 1/	1-7	1,096	546	272	62	15	1	1,992	12,065
All Colors	8 2/	305	110	62	4	-	-	481	1,590
TOTAL, ALL—		4,946,517	2,747,043	1,103,850	221,846	40,596	9,264	9,069,116	19,039,075
EXTRANEEOUS MATTER		Average Staple -----							34.5
		Percent Tenderable -----							63.9
Bark - Level 1		429,479							
Bark - Level 2		463							
Grass - Level 1		135,282							
Grass - Level 2		1,030							
Prep - Level 1		9,347							
Prep - Level 2		91							
Other - Level 1		12,222							
Other - Level 2		33							

19,039,075 bales classed, includes 25,076 of Kansas. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 2. -- **United States** : Distribution of color, leaf and staple for upland cotton classed:
2000 Crop

QUALITY	LEAF	STAPLE								
COLOR		26 & -	28	29	30	31	32	33	34	34 & -
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	29	636	3,952	16,181	70,551	188,858	326,201	391,466	997,874
	3	23	587	3,978	14,178	36,711	86,698	159,472	213,905	515,552
	4	4	146	923	3,522	7,442	13,358	19,672	22,274	67,341
	5	-	12	136	419	944	1,701	1,964	1,887	7,063
	6	-	-	14	16	72	108	161	169	540
	7	-	-	1	1	2	-	9	15	28
TOTAL—		56	1,381	9,004	34,317	115,722	290,723	507,479	629,716	1,588,398
31	1-2	11	172	946	2,995	18,218	83,677	201,886	280,639	588,544
	3	49	831	4,297	13,275	42,370	180,935	535,901	898,669	1,676,327
	4	63	593	2,675	8,120	19,230	48,562	126,579	215,087	420,909
	5	2	89	495	1,551	3,804	7,620	12,900	17,111	43,572
	6	-	4	39	135	312	773	1,324	1,622	4,209
	7	-	-	-	6	9	50	92	97	254
TOTAL—		125	1,689	8,452	26,082	83,943	321,617	878,682	1,413,225	2,733,815
41	1-2	-	19	144	740	7,126	38,461	99,388	142,989	288,867
	3	8	210	1,636	7,151	31,733	144,083	446,188	823,287	1,454,296
	4	10	209	1,735	8,825	30,231	84,274	184,177	300,370	609,831
	5	-	57	693	3,858	12,869	30,875	45,013	44,663	138,028
	6	3	11	97	483	1,848	5,164	7,419	7,168	22,193
	7	-	-	10	18	112	363	398	418	1,319
TOTAL—		21	506	4,315	21,075	83,919	303,220	782,583	1,318,895	2,514,534
51	1-2	-	-	8	69	676	3,041	7,860	10,446	22,100
	3	1	5	37	241	2,516	15,482	50,511	92,275	161,068
	4	-	3	25	197	1,380	8,723	25,465	46,571	82,364
	5	-	3	26	95	639	3,046	7,352	9,853	21,014
	6	-	-	4	37	189	835	1,944	2,649	5,658
	7	-	-	2	2	37	77	185	380	683
TOTAL—		1	11	102	641	5,437	31,204	93,317	162,174	292,887
61	1-2	-	-	1	10	24	97	201	362	695
	3	-	1	1	13	126	547	1,015	1,367	3,070
	4	-	-	2	4	83	384	810	1,022	2,305
	5	-	-	1	2	8	109	234	345	699
	6	-	-	-	-	7	26	57	102	192
	7	-	-	-	-	4	1	10	28	43
TOTAL—		-	1	5	29	252	1,164	2,327	3,226	7,004
71	1-2	-	-	2	-	6	22	26	16	72
	3	-	1	-	-	9	43	41	33	127
	4	-	1	2	-	12	22	29	16	82
	5	-	-	-	-	3	2	9	7	21
	6	-	-	-	-	-	1	1	2	4
	7	-	-	-	-	-	-	-	-	-
TOTAL—		-	2	4	-	30	90	106	74	306
12 & 22	1-2	36	571	1,884	5,661	14,829	28,428	34,947	29,930	116,286
	3	75	745	2,701	6,473	12,751	20,230	26,402	25,611	94,988
	4	18	178	570	1,461	2,745	3,272	4,512	5,035	17,791
	5	-	18	97	293	413	474	433	387	2,115
	6	-	1	3	19	28	54	38	32	175
	7	-	-	-	-	-	-	3	2	5
TOTAL—		129	1,513	5,255	13,907	30,766	52,458	66,335	60,997	231,360
32	1-2	56	640	2,407	4,725	10,307	20,763	28,677	27,970	95,545
	3	327	3,279	12,487	24,337	39,756	61,073	78,306	77,927	297,492
	4	174	1,542	5,770	11,745	16,951	21,191	23,293	23,150	103,816
	5	20	193	675	1,483	2,447	3,378	3,114	2,312	13,622
	6	2	5	44	98	145	313	326	254	1,187
	7	-	-	3	3	3	17	22	36	84
TOTAL—		579	5,659	21,386	42,391	69,609	106,735	133,738	131,649	511,746
42	1-2	18	192	740	1,784	6,475	18,466	31,036	32,034	90,745
	3	119	1,844	8,519	23,872	52,359	109,493	181,304	206,037	583,547
	4	98	1,794	9,716	26,644	49,416	78,430	102,940	104,220	373,258
	5	35	403	2,408	6,710	12,872	19,572	20,429	13,747	76,176
	6	13	55	242	551	1,325	2,019	2,231	1,648	8,084
	7	3	1	34	31	71	87	116	90	433
TOTAL—		286	4,289	21,659	59,592	122,518	228,067	338,056	357,776	1,132,243
52	1-2	1	47	99	308	1,022	2,900	5,255	5,632	15,264
	3	31	378	838	1,904	5,634	18,953	38,029	41,845	107,612
	4	14	190	935	2,398	4,753	11,651	25,594	30,778	76,313
	5	13	77	348	1,210	2,663	4,579	6,828	6,943	22,661
	6	2	12	80	341	780	1,370	1,736	1,597	5,918
	7	-	1	5	39	53	153	289	394	934
TOTAL—		61	705	2,305	6,200	14,905	39,606	77,731	87,189	228,702

Table 2. — **United States**: Distribution of color, leaf and staple for upland cotton classed:
2000 Crop

QUALITY	LEAF	STAPLE								
		26 & -	28	29	30	31	32	33	34	34 & -
COLOR		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	-	1	9	63	109	233	495	870	1,780
	3	1	15	35	103	265	676	979	1,055	3,129
	4	-	5	18	79	126	438	804	728	2,198
	5	1	1	6	7	44	140	321	325	845
	6	1	-	-	3	8	41	78	153	284
	7	-	-	-	-	5	16	5	45	71
TOTAL—		3	22	68	255	557	1,544	2,682	3,176	8,307
13 & 23	1-2	14	90	195	490	848	1,252	1,377	780	5,046
	3	12	58	343	698	1,013	1,380	1,401	1,064	5,969
	4	-	9	64	180	232	283	302	358	1,428
	5	-	-	6	34	37	32	38	49	196
	6	-	-	2	3	3	1	1	7	17
	7	-	-	-	-	-	-	-	-	-
TOTAL—		26	157	610	1,405	2,133	2,948	3,119	2,258	12,656
33	1-2	22	163	356	545	668	820	842	828	4,244
	3	83	522	1,493	2,603	3,032	3,040	2,721	2,543	16,037
	4	24	147	499	887	1,064	1,194	1,125	1,302	6,242
	5	4	17	74	108	154	207	219	322	1,105
	6	-	-	5	13	21	27	10	41	117
	7	-	-	1	3	1	11	4	2	22
TOTAL—		133	849	2,428	4,159	4,940	5,299	4,921	5,038	27,767
43	1-2	47	168	454	825	1,068	1,026	976	784	5,348
	3	100	935	3,123	6,024	7,499	7,401	7,068	6,369	38,519
	4	76	734	2,423	4,152	4,729	4,402	4,093	3,780	24,389
	5	29	170	430	919	1,178	982	705	676	5,089
	6	-	32	30	71	153	130	112	96	624
	7	1	5	5	-	18	14	10	8	61
TOTAL—		253	2,044	6,465	11,991	14,645	13,955	12,964	11,713	74,030
53	1-2	34	176	318	572	652	696	692	318	3,458
	3	110	694	1,367	2,246	3,226	3,541	4,029	3,100	18,313
	4	21	262	717	1,395	1,644	1,952	2,508	2,213	10,712
	5	3	60	210	564	720	661	663	535	3,416
	6	2	14	29	94	170	227	229	178	943
	7	-	5	2	8	18	24	59	59	175
TOTAL—		170	1,211	2,643	4,879	6,430	7,101	8,180	6,403	37,017
63	1-2	6	35	35	93	135	188	168	119	779
	3	1	69	224	439	431	522	435	237	2,358
	4	1	39	104	194	196	204	169	154	1,061
	5	2	4	16	41	69	75	76	55	338
	6	-	1	5	5	11	17	15	30	84
	7	-	-	2	-	3	5	5	12	27
TOTAL—		10	148	386	772	845	1,011	858	607	4,647
24-54	1-7	12	140	296	570	683	920	1,315	1,510	5,446
25-35	1-7	-	-	-	-	1	8	5	2	16
81-85 1/	1-7	11	77	124	221	291	392	371	247	1,734
All Colors	8 2/	1	9	31	52	73	143	265	259	833
TOTAL, ALL—		1,877	20,413	85,538	228,538	557,699	1,408,205	2,915,044	4,196,134	9,413,448

Table 2. – **United States:** Distribution of color, leaf and staple for upland cotton classed:
2000 Crop

QUALITY	LEAF	STAPLE							
COLOR		35	36	37	38	39	40 &+	35 to 40+	TOTAL
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
11 & 21	1-2	402,822	383,565	257,907	51,184	8,774	716	1,104,968	2,102,842
	3	223,105	229,283	209,518	43,811	8,893	1,607	716,217	1,231,769
	4	18,424	13,315	11,824	2,993	629	92	47,277	114,618
	5	1,000	410	299	101	55	8	1,873	8,936
	6	92	11	3	2	-	-	108	648
	7	■	-	-	-	1	-	7	35
TOTAL—		645,449	626,584	479,551	98,091	18,352	2,423	1,870,450	3,458,848
31	1-2	224,623	109,751	46,546	7,000	834	27	388,781	977,325
	■	860,078	458,258	203,747	33,513	3,837	260	1,559,693	3,236,020
	4	217,671	118,169	48,920	8,483	1,531	92	394,866	815,775
	5	12,693	5,349	2,203	725	287	23	21,280	64,852
	■	1,049	294	111	19	7	4	1,484	5,693
	7	45	14	4	2	-	-	65	319
TOTAL—		1,316,159	691,835	301,531	49,742	6,496	406	2,366,169	5,099,984
41	1-2	96,626	37,637	12,200	1,012	60	1	147,536	436,403
	3	735,404	338,142	101,476	10,155	944	82	1,186,203	2,640,499
	4	304,937	171,674	61,660	7,412	918	44	546,645	1,156,476
	■	29,585	14,810	6,591	1,543	324	18	52,871	190,899
	6	3,336	1,233	539	194	44	5	5,351	27,544
	7	189	91	60	23	4	2	369	1,688
TOTAL—		1,170,077	563,587	182,526	20,339	2,294	152	1,938,975	4,453,509
51	1-2	5,991	2,035	451	31	1	-	8,509	30,609
	3	77,977	31,818	7,294	426	24	9	117,548	278,616
	4	44,084	20,704	5,899	428	693	3,858	75,666	158,030
	■	6,802	3,528	1,336	144	16	2	11,828	32,842
	6	1,377	441	126	14	2	-	1,960	7,618
	7	171	44	22	1	-	-	238	921
TOTAL—		136,402	58,570	15,128	1,044	84	24	211,252	504,139
61	1-2	356	144	55	14	-	-	569	1,264
	3	1,358	701	243	22	-	-	2,324	5,394
	4	913	512	157	20	-	-	1,602	3,907
	■	276	163	49	3	-	-	491	1,190
	6	106	37	13	-	-	-	156	348
	7	24	5	-	-	-	-	29	72
TOTAL—		3,033	1,562	517	59	-	-	5,171	12,175
71	1-2	12	11	2	2	-	-	27	99
	3	16	16	10	3	1	-	46	173
	4	6	10	2	-	-	-	18	100
	■	7	1	1	1	-	-	10	31
	6	-	-	-	-	-	-	-	4
	7	-	-	-	-	-	-	-	-
TOTAL—		41	38	15	6	1	-	101	407
12 & 22	1-2	16,292	7,284	3,165	840	232	68	27,881	144,167
	3	14,246	6,609	4,278	1,186	268	76	26,663	121,651
	4	3,197	1,362	656	325	61	4	5,605	23,396
	■	224	112	36	16	5	-	393	2,508
	6	13	10	2	-	-	-	25	200
	7	-	-	1	-	-	-	1	6
TOTAL—		33,972	15,377	8,138	2,367	566	148	60,568	291,928
32	1-2	13,467	3,038	1,269	290	70	27	18,161	113,706
	3	46,266	13,726	4,811	1,188	213	46	66,250	363,742
	■	16,162	6,233	1,816	490	62	■	24,772	128,588
	6	1,666	637	235	42	8	5	2,593	16,215
	■	167	106	25	2	2	1	303	1,490
	7	23	23	5	-	-	-	51	135
TOTAL—		77,751	23,763	8,161	2,012	355	88	112,130	623,876
42	1-2	14,612	2,432	341	52	22	11	17,470	108,215
	3	117,171	28,262	3,395	321	60	64	149,273	732,820
	4	70,478	22,334	3,165	254	19	16	96,266	469,524
	■	7,606	2,852	481	75	7	3	11,024	87,200
	6	859	294	79	21	3	7	1,263	9,347
	7	87	66	23	7	1	2	186	619
TOTAL—		210,813	56,240	7,484	730	112	103	275,482	1,407,725
52	1-2	1,902	323	31	4	-	2	2,262	17,526
	3	21,487	4,929	511	34	8	2	26,971	134,583
	4	19,852	5,682	764	28	1	1	26,328	102,641
	■	4,226	1,515	227	10	-	-	5,978	28,639
	6	849	244	41	2	-	-	1,136	7,054
	7	167	62	8	3	-	-	240	1,174
TOTAL—		48,483	12,755	1,582	81	9	5	62,915	291,617

Table 2. -- **United States**: Distribution of color, leaf and staple for upland cotton classed:
2000 Crop

QUALITY		STAPLE							
COLOR	LEAF	35	36	37	38	39	40 &+	35 to 40+	TOTAL
		Bales	Bales	Bales	Bales	Bales	Bales	Bales	Bales
62	1-2	779	213	31	-	1	-	1,024	2,804
	3	945	377	101	4	3	-	1,430	4,559
	4	341	101	33	1	1	-	477	2,675
	5	192	52	25	3	-	-	272	1,117
	6	101	37	10	1	-	-	149	433
	7	31	8	1	-	-	-	40	111
TOTAL—		2,389	789	201	9	5	-	3,392	11,699
13 & 23	1-2	572	391	234	53	4	8	1,262	6,308
	3	673	392	284	88	11	13	1,461	7,430
	4	188	57	22	11	2	1	281	1,709
	5	23	2	4	-	-	1	30	226
	6	2	1	3	-	-	-	6	23
	7	-	-	-	-	-	-	-	-
TOTAL—		1,458	843	547	152	17	23	3,040	15,696
33	1-2	708	620	337	41	2	14	1,722	5,966
	3	1,709	1,135	960	132	11	43	3,990	20,027
	4	857	386	190	73	13	13	1,532	7,774
	5	226	51	23	16	-	3	319	1,424
	6	30	9	5	-	-	13	57	174
	7	3	-	1	-	-	2	6	28
TOTAL—		3,533	2,201	1,516	262	26	88	7,626	35,393
43	1-2	359	134	35	2	3	8	541	5,889
	3	3,596	1,182	410	46	10	5	5,249	43,768
	4	2,206	908	221	48	8	3	3,394	27,783
	5	453	122	42	14	2	2	635	5,724
	6	86	22	13	1	1	7	130	754
	7	14	15	10	-	-	10	49	110
TOTAL—		6,714	2,383	731	111	24	35	9,998	84,028
53	1-2	144	29	4	-	-	-	177	3,635
	3	1,257	353	58	4	-	-	1,672	19,985
	4	1,034	365	41	3	1	-	1,444	12,156
	5	241	79	19	2	-	1	342	3,758
	6	68	29	8	-	-	-	105	1,048
	7	31	10	1	-	-	-	42	217
TOTAL—		2,775	865	131	9	1	1	3,782	40,799
63	1-2	98	44	6	-	-	-	148	927
	3	130	67	8	-	-	-	205	2,563
	4	63	53	8	-	-	-	124	1,185
	5	24	20	1	-	-	-	45	383
	6	15	8	-	-	-	-	23	107
	7	4	1	-	-	-	-	5	32
TOTAL—		334	193	23	-	-	-	550	5,197
24-54	1-7	1,085	615	398	61	16	1	2,176	7,622
25-35	1-7	-	-	2	-	-	-	2	18
81-85 1/	1-7	154	97	63	5	1	-	320	2,054
All Colors	8 2/	157	42	43	10	-	4	256	1,089
TOTAL, ALL—		3,660,779	2,058,338	1,008,288	175,090	28,359	3,501	6,934,355	16,347,803
EXTRANEEOUS MATTER		Average Staple -----							34.2
		Percent Tenderable -----							64.0
Bark - Level 1		1,105,447							
Bark - Level 2		1,988							
Grass - Level 1		157,364							
Grass - Level 2		1,158							
Prep - Level 1		14,237							
Prep - Level 2		37							
Other - Level 1		18,192							
Other - Level 2		18							

16,347,803 bales classed, includes 25,703 of Kansas. 1/ Below Grade Color. 2/ Below Grade Leaf.

Table 3. -- **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	0.1	0.3	0.9	2.0	3.1	3.4	3.0	2.0	0.5	0.1	*	15.3
	3	*	*	*	*	0.1	0.5	1.3	2.4	2.2	1.8	1.2	0.3	0.1	*	9.9
	4	-	-	-	*	*	*	0.1	0.2	0.2	0.1	0.1	*	*	*	0.7
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		*	*	*	0.1	0.5	1.5	3.4	5.7	5.8	4.8	3.2	0.8	0.2	*	26.0
31	1-2	-	*	*	*	*	0.2	0.6	0.9	0.7	0.4	0.2	*	*	*	3.1
	3	-	*	*	*	0.1	1.0	4.3	8.3	6.6	2.9	0.8	0.1	*	*	24.2
	4	-	*	*	*	*	0.2	0.8	2.1	2.2	1.2	0.3	*	*	*	7.0
	5	-	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		*	*	*	*	0.2	1.4	5.8	11.3	9.6	4.6	1.3	0.2	*	*	34.6
41	1-2	-	*	*	*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	0.5
	3	-	*	*	*	0.1	0.4	2.1	4.3	3.5	1.5	0.3	*	*	*	12.1
	4	-	*	*	*	*	0.2	0.8	2.2	2.6	1.5	0.3	*	*	*	7.6
	5	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.6
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		*	*	*	*	0.1	0.7	3.1	6.8	6.4	3.1	0.7	*	*	*	21.0
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	*	*	0.1	0.2	0.4	0.4	0.2	*	*	*	-	1.3
	4	-	*	*	*	*	*	0.1	0.2	0.3	0.2	*	*	*	-	0.9
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL—		-	*	*	*	*	0.1	0.4	0.7	0.7	0.4	0.1	*	*	-	2.3
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
TOTAL—		-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	-	-	*	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
12 & 22	1-2	*	*	*	*	0.1	0.1	0.2	0.3	0.2	0.1	*	*	*	*	1.0
	3	-	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	*	0.9
	4	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		*	*	*	*	0.1	0.3	0.4	0.5	0.4	0.2	0.1	*	*	*	2.1
32	1-2	*	*	*	*	*	*	0.1	0.1	*	*	*	*	*	*	0.3
	3	*	*	*	*	*	0.2	0.5	0.7	0.4	0.2	0.1	*	*	*	2.2
	4	*	*	*	*	*	0.1	0.1	0.3	0.2	0.1	*	*	*	*	0.9
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL—		*	*	*	*	0.1	0.3	0.8	1.1	0.7	0.3	0.1	*	*	*	3.4
42	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	*	*	*	0.1	0.3	0.8	1.1	0.7	0.2	*	*	*	*	3.2
	4	*	*	*	*	*	0.1	0.5	1.0	0.9	0.4	0.1	*	*	*	3.1
	5	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL—		*	*	*	*	0.1	0.4	1.4	2.2	1.7	0.7	0.2	*	*	*	6.8
52	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	*	*	*	*	0.1	0.1	0.2	0.1	*	*	*	*	*	0.6
	4	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	0.6
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	-	*
TOTAL—		-	*	*	*	0.1	0.2	0.3	0.4	0.3	0.1	*	*	*	*	1.4

* Less than 0.05 percent.

Table 3. — **United States**: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
13 & 23	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
33	1-2	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	3	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	4	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.5
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
	4	*	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.3
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		*	*	*	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	*	0.8
53	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	0.1	*	*	*	*	*	*	*	0.2
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
63	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL—		-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
24-54	1-7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
25-35	1-7	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
81-85 1/	1-7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
All Colors	8 2/	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL—		*	*	*	0.3	1.3	5.1	16.2	29.4	26.0	14.4	5.8	1.2	0.2	*	100.0
EXTRANEEOUS MATTER		Average Staple														34.5
		Percent Tenderable														63.9
Bark - Level 1	2.3															
Bark - Level 2	*															
Grass - Level 1	0.7															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	0.1															
Other - Level 1	*															

19,039,075 bales classed includes 25,076 of Kansas. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 4. — **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.1	0.5	0.7	0.4	0.1	*	*	-	-	1.8
	3	-	-	-	-	*	0.3	2.4	4.3	2.9	1.3	0.2	*	-	-	11.5
	4	-	-	-	-	*	*	0.2	0.5	0.5	0.3	0.1	*	-	-	1.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	0.4	3.1	5.6	3.8	1.6	0.3	*	-	-	14.9
31	1-2	-	-	-	-	*	0.1	0.5	0.8	0.5	0.1	*	*	-	-	2.2
	3	-	-	-	-	*	1.0	6.4	13.0	11.0	4.5	0.8	*	-	-	36.8
	4	-	-	-	-	*	0.1	1.4	4.6	5.2	2.7	0.6	*	-	-	14.6
	5	-	-	-	-	*	*	*	0.2	0.2	0.1	*	*	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL—		-	-	-	-	0.1	1.3	8.4	18.6	17.0	7.4	1.4	*	-	-	54.1
41	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	3	-	-	-	-	*	0.6	2.8	4.8	3.4	0.9	0.1	*	-	-	12.7
	4	-	-	*	-	*	0.2	1.3	3.1	3.0	1.1	0.2	*	-	-	9.0
	5	-	-	-	-	*	*	0.1	0.2	0.3	0.1	*	*	-	-	0.7
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
TOTAL—		-	-	*	-	*	0.9	4.3	8.4	6.7	2.2	0.4	*	-	-	22.9
51	1-2	-	-	-	-	*	*	0.1	*	*	*	-	-	-	-	0.2
	3	-	-	*	-	*	0.3	0.9	0.9	0.4	0.1	*	-	-	-	2.5
	4	-	-	-	-	*	0.1	0.3	0.4	0.2	*	*	*	-	-	1.1
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL—		-	-	*	-	*	0.4	1.3	1.4	0.6	0.1	*	*	-	-	3.9
61	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
32	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.2	0.2	0.1	*	*	-	-	0.6
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	0.2	0.4	0.4	0.2	*	*	-	-	1.3
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.6
	4	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	*	-	-	0.8
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	0.1	0.3	0.5	0.4	0.1	*	*	-	-	1.5
52	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3

* Less than 0.05 percent.

Table 4. -- **Alabama**: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
43	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
53	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
63	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	*	-	-	-	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	*	-	0.2	3.3	18.1	35.3	29.1	11.8	2.2	*	-	-	100.0
EXTRANEEOUS MATTER		Average Staple														34.3
		Percent Tenderable														78.6
Bark - Level 1	4.1															
Bark - Level 2	*															
Grass - Level 1	0.9															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

907,120 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 5. — *Arizona*: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.3	1.8	7.8	18.9	19.0	8.6	0.5	*	-	57.1
	3	-	-	-	-	*	*	0.3	1.5	3.3	3.4	1.7	0.2	*	-	10.3
	4	-	-	-	-	-	-	*	0.1	0.1	0.2	0.1	*	-	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	0.3	2.1	9.4	22.4	22.6	10.4	0.7	*	*	67.9
31	1-2	-	-	-	*	*	0.1	0.7	2.3	3.3	2.9	1.3	0.1	*	-	10.8
	3	-	-	-	*	*	0.1	0.4	1.5	2.6	2.3	1.2	0.1	*	-	8.3
	4	-	-	-	-	*	*	0.2	0.5	0.6	0.4	0.2	*	*	-	1.8
	5	-	-	-	*	*	*	*	0.1	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL—	-	-	-	*	*	0.2	1.3	4.3	6.5	5.7	2.7	0.2	*	-	21.0
41	1-2	-	-	-	*	*	*	0.1	0.2	0.3	0.2	*	*	-	-	0.9
	3	-	-	-	-	*	*	0.1	0.4	0.5	0.4	0.1	*	-	-	1.6
	4	-	-	-	*	*	0.1	0.2	0.4	0.3	0.1	*	*	-	-	1.1
	5	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL—	-	-	-	*	*	0.1	0.6	1.2	1.3	0.8	0.2	*	-	-	4.3
51	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL—	-	-	-	-	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
61	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	0.1	0.3	0.6	0.5	0.2	*	*	-	1.7
	3	-	-	-	-	*	*	*	0.2	0.4	0.4	0.2	*	-	-	1.2
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	0.1	0.5	1.1	1.0	0.4	*	*	-	3.1
32	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.2
	3	-	-	-	*	*	*	0.1	0.2	0.2	0.2	0.1	*	*	-	0.7
	4	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL—	-	-	-	*	*	0.1	0.2	0.5	0.5	0.3	0.1	*	*	-	1.8
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.2
	4	-	-	-	-	*	*	0.1	0.2	0.1	*	*	*	-	-	0.5
	5	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL—	-	-	-	*	*	0.2	0.4	0.3	0.1	*	*	-	-	-	1.1
52	1-2	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	TOTAL—	-	-	-	-	-	-	-	-	-	*	*	-	-	-	0.1

* Less than 0.05 percent.

Table 5. -- **Arizona**: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
43	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
53	1-2	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
TOTAL, ALL—		-	-	-	*	0.1	0.9	4.7	16.6	32.2	30.6	13.9	1.0	*	*	100.0
EXTRANEEOUS MATTER		Average Staple														35.3
		Percent Tenderable														65.2
Bark - Level 1		4.2														
Bark - Level 2		*														
Grass - Level 1		0.6														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		0.6														
Other - Level 1		*														

642,712 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 6. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.1	0.3	0.2	0.1	*	-	-	-	0.6
	3	-	-	-	-	*	*	0.2	0.7	0.4	0.2	0.1	*	-	-	1.6
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	0.3	1.0	0.6	0.3	0.1	*	-	-	2.3
31	1-2	-	-	-	-	*	*	0.1	0.6	1.2	0.8	*	-	-	-	3.0
	3	-	-	-	*	*	0.2	3.3	8.6	8.2	4.4	0.8	*	-	-	25.5
	4	-	-	-	*	*	*	0.3	1.7	3.7	2.4	0.6	*	*	-	8.6
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
TOTAL—		-	-	-	*	*	0.3	4.2	11.4	12.7	7.2	1.4	*	*	-	37.4
41	1-2	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	-	-	0.6
	3	-	-	-	*	*	0.2	2.0	5.8	6.3	3.1	0.6	*	-	-	18.2
	4	-	-	-	-	*	*	0.6	3.3	7.2	4.6	1.0	*	-	-	16.7
	5	-	-	-	-	*	*	*	0.2	0.5	0.4	0.1	*	-	-	1.2
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	*	*	0.2	2.8	9.5	14.1	8.2	1.8	*	-	-	36.7
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.2	0.7	0.7	0.3	*	*	-	-	1.9
	4	-	-	-	-	*	*	0.1	0.4	0.8	0.5	0.1	*	-	-	1.8
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	-	*	*	0.3	1.1	1.5	0.9	0.1	*	*	-	4.0
61	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	*	*	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.3	0.7	0.6	0.2	*	-	-	-	1.9
	4	-	-	-	*	*	*	0.1	0.4	0.5	0.3	0.1	*	-	-	1.3
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	0.4	1.1	1.1	0.5	0.1	*	-	-	-	3.4
42	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.1	0.6	1.5	1.4	0.6	0.1	*	-	-	4.4
	4	-	-	-	*	*	*	0.5	1.9	3.1	1.8	0.4	*	*	-	7.7
	5	-	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	0.6
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	*	-	-	-	*
TOTAL—		-	-	-	*	*	0.1	1.1	3.5	4.7	2.6	0.6	*	*	-	12.7
52	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.5
	4	-	-	-	-	*	*	0.1	0.3	0.4	0.2	*	*	-	-	1.1
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	0.2	0.5	0.7	0.4	*	*	-	-	1.9

* Less than 0.05 percent.

Table 6. -- **Arkansas**: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	0.1	*	*	*	-	-	-	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	0.3
43	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	0.3
	4	-	-	-	-	-	-	*	0.2	0.2	0.1	*	-	-	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	*	0.1	0.3	0.3	0.1	*	-	-	0.9
53	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	*	0.1	0.1	*	*	-	-	-	0.2
63	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
TOTAL, ALL—		-	-	-	-	-	-	0.8	9.5	28.8	36.2	20.5	4.2	*	*	100.0
EXTRANEEOUS MATTER																Average Staple 34.8
																Percent Tenderable 58.2
Bark - Level 1		0.3														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

1,788,119 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 7. — *California*: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.2	1.0	3.8	10.2	15.1	12.4	4.2	0.8	0.1	47.9
	3	-	-	-	*	*	*	0.2	1.1	4.9	10.8	8.6	2.3	0.6	0.3	28.7
	4	-	-	-	-	-	-	-	-	0.1	0.2	0.2	0.1	*	*	0.7
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	0.2	1.2	4.9	15.2	26.2	21.3	6.5	1.3	0.4	77.3
31	1-2	-	-	-	-	*	*	0.1	0.6	1.7	1.6	0.9	0.3	*	-	5.3
	3	-	-	-	*	*	*	0.1	0.4	1.5	2.9	2.5	0.9	0.2	0.1	8.5
	4	-	-	-	-	*	*	-	0.1	0.2	0.5	0.5	0.1	*	*	1.5
	5	-	-	-	*	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	*	-	-	*	*	*	*	*	-	*
TOTAL—		-	-	-	*	*	0.2	1.1	3.4	5.0	4.0	4.0	1.3	0.3	0.1	15.3
41	1-2	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	0.7
	3	-	-	-	-	*	*	*	0.1	0.3	0.5	0.4	0.1	*	*	1.4
	4	-	-	-	-	-	*	*	-	0.1	0.2	0.2	*	*	*	0.6
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL—		-	-	-	-	*	*	0.1	0.2	0.6	0.9	0.8	0.2	*	-	2.9
51	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	0.3
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL—		-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.6
61	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
71	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
12 & 22	1-2	-	-	-	-	*	*	*	0.1	0.1	0.1	0.2	0.1	*	*	0.7
	3	-	-	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	0.7
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	0.1	0.3	0.4	0.4	0.2	*	*	1.4
32	1-2	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.2
	3	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	0.7
	4	-	-	-	-	-	*	*	*	*	*	0.1	*	*	*	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	-	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	-	*	*	*	-	*
TOTAL—		-	-	-	-	*	*	*	0.1	0.2	0.3	0.4	0.2	*	*	1.1
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	*	*	*	*	*	0.1	0.1	*	*	*	0.3
	4	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
TOTAL—		-	-	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	*	0.5
52	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1

* Less than 0.05 percent.

Table 7. -- **California**: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
33	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	*	*	*	0.1	*	*	*	*	0.2
43	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	*	*	-	-	*	*	*	-	*
	TOTAL—	-	-	-	-	*	*	*	*	*	0.1	*	*	*	*	0.2
53	1-2	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1
63	1-2	-	-	*	-	-	-	-	*	*	*	*	*	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
TOTAL, ALL—		-	-	-	-	*	0.3	1.6	6.6	20.1	33.4	27.3	8.5	1.7	0.5	100.0
EXTRANEEOUS MATTER		Average Staple														36.1
		Percent Tenderable														90.9
Bark - Level 1		0.5														
Bark - Level 2		*														
Grass - Level 1		0.6														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		0.3														
Other - Level 1		*														

1,742,170 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 8. — **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	-	0.2	0.3	0.2	*	*	-	-	-	0.7
	3	-	-	-	-	-	0.1	1.1	2.6	1.6	0.3	*	-	-	-	5.9
	4	-	-	-	-	-	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	0.2	1.4	3.1	1.9	0.4	*	-	-	-	7.0
31	1-2	-	-	-	-	-	*	0.4	0.9	0.5	0.1	*	-	-	-	1.9
	3	-	-	-	*	*	0.4	4.4	14.5	14.8	4.2	0.3	*	-	-	38.7
	4	-	-	-	-	-	*	0.5	1.9	2.4	1.4	0.2	*	-	-	6.4
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	0.5	5.4	17.3	17.7	5.7	0.4	*	-	-	47.0
41	1-2	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	3	-	-	-	*	*	0.4	3.5	10.4	10.7	3.1	0.2	*	-	-	28.3
	4	-	-	-	-	*	0.2	1.3	3.2	3.6	1.9	0.2	*	-	-	10.3
	5	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	-	-	-	0.3
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	*	*	0.6	4.9	13.8	14.5	5.1	0.4	*	-	-	39.5
51	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	3	-	-	-	*	*	0.3	1.3	1.6	0.7	0.1	*	-	-	-	4.0
	4	-	-	-	-	*	0.1	0.5	0.7	0.4	0.1	*	*	-	-	1.8
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	0.5	1.9	2.3	1.1	0.2	*	*	-	-	5.9
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
32	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
42	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	-	0.3
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1

* Less than 0.05 percent.

Table 8. -- **Florida**: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	-	-	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	*	0.1	1.9	13.7	36.7	35.4	11.4	0.9	*	-	-	100.0
EXTRANEEOUS MATTER		Average Staple														34.4
		Percent Tenderable														85.0
Bark - Level 1	2.3															
Bark - Level 2	-															
Grass - Level 1	0.5															
Grass - Level 2	-															
Prep - Level 1	0.1															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

147,444 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 9. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & - Pct.	28 Pct.	29 Pct.	30 Pct.	31 Pct.	32 Pct.	33 Pct.	34 Pct.	35 Pct.	36 Pct.	37 Pct.	38 Pct.	39 Pct.	40 & + Pct.	
11 & 21	1-2	-	-	*	*	*	0.1	0.4	0.8	0.6	0.1	*	*	-	-	2.0
	3	-	-	*	*	*	0.3	1.7	4.3	3.2	0.8	0.1	*	-	-	10.4
	4	-	-	-	-	*	*	0.1	0.2	0.2	*	*	*	-	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	*	*	*	0.3	2.2	5.3	3.9	0.9	0.1	*	-	-	12.9
31	1-2	-	-	*	*	*	0.2	0.6	0.9	0.4	0.1	*	*	-	-	2.2
	3	-	-	*	*	0.3	2.2	9.6	18.3	10.9	2.5	0.4	*	-	-	44.3
	4	-	-	*	*	*	0.2	1.2	2.6	1.9	0.5	0.1	*	-	-	6.5
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	TOTAL—	-	-	*	*	0.3	2.6	11.4	21.8	13.2	3.2	0.5	*	-	-	53.1
41	1-2	-	-	-	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	3	-	-	-	*	0.1	1.0	4.0	7.4	4.8	1.2	0.2	*	-	-	18.6
	4	-	-	*	*	*	0.3	1.4	2.7	2.0	0.6	0.1	*	-	-	7.1
	5	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL—	-	-	*	*	0.2	1.4	5.5	10.3	6.9	1.8	0.3	*	-	-	26.4
51	1-2	-	-	-	*	*	*	*	0.1	*	*	*	-	-	-	0.2
	3	-	-	*	*	*	0.2	0.9	1.6	1.0	0.2	*	*	-	-	4.1
	4	-	-	-	*	*	0.1	0.3	0.4	0.2	0.1	*	*	-	*	1.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL—	-	-	*	*	*	0.3	1.3	2.2	1.3	0.3	*	*	-	-	5.4
61	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	TOTAL—	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
71	1-2	-	-	-	-	*	*	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
32	1-2	-	-	-	*	*	*	-	-	-	-	-	-	-	-	0.1
	3	-	-	*	*	*	0.1	0.2	0.1	0.1	*	*	*	-	-	0.5
	4	-	-	-	*	*	*	*	0.1	*	*	*	*	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL—	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.7
42	1-2	-	-	-	*	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	*	*	*	0.1	0.1	0.2	0.1	*	*	*	-	-	0.5
	4	-	-	*	*	*	*	0.1	0.2	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	TOTAL—	-	-	*	*	*	0.1	0.3	0.3	0.2	*	*	*	-	-	1.0
52	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	TOTAL—	-	-	-	*	*	*	*	0.1	*	*	*	*	-	-	0.2

* Less than 0.05 percent.

Table 9. -- **Georgia**: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL—		-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	*	-	*	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
TOTAL, ALL—		-	-	*	*	0.7	4.9	20.9	40.3	25.7	6.3	1.0	*	-	-	100.0
EXTRANEEOUS MATTER																Average Staple 34.1
Bark - Level 1	1.4															Percent Tenderable 83.8
Bark - Level 2	*															
Grass - Level 1	0.6															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

2,151,184 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 10. -- *Louisiana*: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	-	0.1
	3	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.3
31	1-2	-	-	-	-	*	*	0.4	0.6	0.3	*	*	*	-	-	1.4
	3	-	-	-	-	*	0.3	2.5	5.6	4.4	1.3	0.2	*	*	-	14.4
	4	-	-	-	-	-	*	0.1	0.3	0.5	0.3	*	*	*	-	1.3
	5	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	0.4	2.9	6.5	5.3	1.6	0.3	*	*	-	17.0
41	1-2	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	*	*	-	0.7
	3	-	-	-	*	*	1.2	6.9	13.1	8.4	2.0	0.4	0.1	*	-	32.1
	4	-	-	-	-	*	0.1	1.2	3.8	4.5	1.9	0.5	0.2	*	-	12.2
	5	-	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL—	-	-	-	*	*	1.4	8.3	17.3	13.1	4.1	0.9	0.3	*	-	45.3
51	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	0.1	0.4	0.7	0.4	0.1	*	*	*	-	1.6
	4	-	-	-	-	*	*	0.3	0.7	0.8	0.3	0.1	*	-	-	2.2
	5	-	-	-	-	-	*	*	*	0.1	*	*	*	*	-	0.2
	6	-	-	-	-	-	-	*	*	*	*	*	*	*	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	*	-	*
	TOTAL—	-	-	-	-	*	0.1	0.7	1.5	1.2	0.4	0.1	*	*	-	4.1
61	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	0.1	0.7	0.9	0.5	0.1	*	*	-	-	2.3
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.5
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	0.1	0.8	1.2	0.6	0.2	*	*	-	-	2.9
42	1-2	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	*	*	1.2	3.9	4.6	2.0	0.3	*	*	*	-	12.1
	4	-	-	-	-	*	0.4	1.6	2.8	2.0	0.6	0.1	*	*	-	7.5
	5	-	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	0.3
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	TOTAL—	-	-	-	*	*	1.5	5.7	7.6	4.2	1.0	0.1	*	*	-	20.1
52	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.3	0.8	0.8	0.3	*	*	*	-	-	2.2
	4	-	-	-	*	*	0.2	0.8	1.3	0.9	0.2	*	*	*	-	3.4
	5	-	-	-	-	*	*	*	0.1	0.1	*	*	*	*	-	0.3
	6	-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	TOTAL—	-	-	-	*	*	0.5	1.7	2.1	1.3	0.3	*	*	*	-	6.0

* Less than 0.05 percent.

Table 10. — *Louisiana*: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	-	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
TOTAL—		-	-	-	*	*	*	*	*	*	*	*	*	*	-	0.1
13 & 23	1-2	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
43	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	0.1	0.4	0.5	0.2	*	*	*	-	-	1.3
	4	-	-	-	-	*	0.1	0.2	0.3	0.2	*	*	*	*	-	0.8
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	0.2	0.6	0.8	0.5	0.1	*	*	*	-	2.2
53	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	4	-	-	-	-	*	0.1	0.2	0.3	0.2	*	*	*	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	*	*	0.2	0.5	0.4	0.2	0.1	*	*	-	-	1.4
63	1-2	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
	3	-	-	0.2	-	*	*	*	*	*	-	-	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
24-54	1-7	-	-	-	-	*	*	*	0.1	*	*	*	*	-	-	0.2
25-35	1-7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL, ALL—		-	-	-	*	0.1	4.5	21.4	37.7	26.6	7.7	1.5	0.4	0.1	-	100.0
EXTRANEEOUS MATTER		Average Staple														34.2
		Percent Tenderable														43.2
Bark - Level 1		0.7														
Bark - Level 2		"														
Grass - Level 1		0.9														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		*														
Other - Level 1		*														
Other - Level 1		-														

1,044,667 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. " Less than 0.05 percent.

Table 11. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	0.2	0.5	0.2	*	*	*	-	-	0.9
	3	-	-	-	-	*	*	0.3	0.8	0.5	0.1	*	*	-	-	1.9
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	0.1	0.6	1.3	0.7	0.2	*	*	-	-	2.9
31	1-2	-	-	-	*	*	0.1	0.5	0.9	0.3	0.1	*	-	-	-	1.9
	3	-	-	-	*	*	0.5	4.2	9.6	6.6	1.9	0.2	*	*	-	23.0
	4	-	-	-	*	*	*	0.4	1.6	1.9	0.8	0.1	*	*	-	4.8
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	-	-	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL—		-	-	-	*	*	0.6	5.2	12.1	8.8	2.7	0.3	*	*	-	29.8
41	1-2	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
	3	-	-	-	*	*	0.5	3.7	8.3	5.3	1.4	0.2	*	*	*	19.3
	4	-	-	-	*	*	0.1	1.3	4.5	5.3	2.4	0.4	*	*	*	14.1
	5	-	-	-	-	*	*	*	0.1	0.3	0.2	*	*	*	-	0.7
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	*	*	0.6	5.1	13.1	11.0	3.9	0.6	*	*	*	34.5
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	*	-	0.4
	4	-	-	-	*	*	*	0.1	0.3	0.3	0.2	*	*	-	-	1.0
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
TOTAL—		-	-	-	*	*	*	0.2	0.5	0.5	0.2	*	*	*	-	1.5
61	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	*	*	-	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	*	0.1	*	*	*	*	-	-	0.1
	4	-	-	-	*	-	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	*	*	*	*	0.1	*	*	*	*	-	-	0.2
32	1-2	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	3	-	-	-	*	*	0.2	1.0	1.6	0.8	0.2	*	*	*	-	3.8
	4	-	-	-	*	*	*	0.2	0.4	0.4	0.2	*	*	-	-	1.2
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
TOTAL—		-	-	-	*	*	0.2	1.2	2.1	1.3	0.4	*	*	*	-	5.3
42	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	*	*	0.5	2.6	4.3	2.1	0.5	*	*	*	-	10.1
	4	-	-	-	*	*	0.2	1.5	3.7	3.0	1.0	0.1	*	*	-	9.5
	5	-	-	-	-	*	*	*	0.1	0.2	0.1	*	*	*	-	0.5
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL—		-	-	-	*	*	0.7	4.3	8.1	5.4	1.6	0.2	*	*	-	20.3
52	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.2	0.3	0.1	*	*	*	-	-	0.7
	4	-	-	-	*	*	0.1	0.3	0.6	0.5	0.1	*	*	-	*	1.7
	5	-	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	6	-	-	-	*	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
TOTAL—		-	-	-	*	*	0.1	0.6	1.0	0.7	0.2	*	*	-	*	2.6

* Less than 0.05 percent.

Table 11. -- **Mississippi**: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY		LEAF	2001 Crop														TOTAL	
COLOR	STAPLE																	
			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +		
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	
62	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
25-35	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
81-85 1/	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
All Colors	8 2/		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL, ALL—			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EXTRANEEOUS MATTER			Average Staple															34.3
			Percent Tenderable															43.1
Bark - Level 1			0.9															
Bark - Level 2			"															
Grass - Level 1			0.4															
Grass - Level 2			"															
Prep - Level 1			"															
Prep - Level 2			"															
Other - Level 1			"															
Other - Level 1			"															

2,338,621 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. " Less than 0.05 percent.

Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	*	*	0.1	0.2	0.1	*	-	-	-	0.4
	3	-	-	-	-	-	*	*	0.1	0.4	0.3	0.1	*	-	-	0.9
	4	-	-	-	-	-	-	*	-	*	-	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	*	0.3	0.6	0.4	0.1	*	-	-	1.4
31	1-2	-	-	-	-	*	*	0.2	1.0	1.5	0.8	0.1	*	-	-	3.5
	3	-	-	-	-	*	*	0.4	2.9	7.5	7.8	1.7	*	-	-	20.4
	4	-	-	-	-	-	*	*	0.4	1.5	2.3	0.6	*	-	-	4.7
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	0.7	4.3	10.5	10.9	2.3	*	-	-	28.7
41	1-2	-	-	-	-	*	*	0.1	0.5	0.7	0.3	*	-	-	-	1.6
	3	-	-	-	-	*	*	0.6	4.2	11.6	11.1	2.6	*	-	-	30.2
	4	-	-	-	-	*	*	0.2	1.5	5.1	6.4	1.7	*	-	-	14.9
	5	-	-	-	-	-	*	*	*	0.2	0.3	*	*	-	-	0.6
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL—		-	-	-	-	*	*	0.9	6.2	17.6	18.1	4.3	*	-	-	47.3
51	1-2	-	-	-	-	-	*	*	*	0.1	*	*	-	-	-	0.2
	3	-	-	-	-	-	*	0.1	0.9	2.3	2.3	0.5	*	-	-	6.1
	4	-	-	-	-	*	*	*	0.4	1.3	1.6	0.4	*	-	-	3.7
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	0.2	1.4	3.7	3.9	0.8	*	-	-	10.0
61	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
32	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	-	*	*	0.2	0.4	0.5	0.1	*	-	-	1.3
	4	-	-	-	-	-	-	*	*	0.1	0.2	0.1	*	-	-	0.5
	5	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	0.2	0.6	0.7	0.2	*	-	-	1.8
42	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	0.1	0.4	1.5	1.9	0.5	*	-	-	4.5
	4	-	-	-	-	*	*	*	0.2	0.8	1.5	0.5	*	-	-	2.9
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	*	0.1	0.6	2.4	3.4	1.0	*	-	-	7.6
52	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	0.2	0.4	0.4	0.1	*	-	-	1.1
	4	-	-	-	-	-	*	*	0.1	0.2	0.4	0.1	*	-	-	0.8
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	0.2	0.7	0.8	0.2	*	-	-	2.0

* Less than 0.05 percent.

Table 12. -- **Missouri**: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
COLOR		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	Pct.
		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	*	*	*	*	0.1	*	-	-	-	0.1
43	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.2	0.2	*	*	-	-	0.4
	4	-	-	-	-	-	-	*	*	*	0.1	*	*	-	-	0.2
	5	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	*	*	*	0.2	0.3	0.1	*	-	-	0.7
53	1-2	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	3	-	-	*	-	-	-	-	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
24-54	1-7	-	-	-	-	-	*	*	*	*	0.1	*	*	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL, ALL—		-	-	-	-	*	0.1	2.0	13.3	36.5	38.8	9.2	*	-	-	100.0
EXTRANEEOUS MATTER		Average Staple														35.4
		Percent Tenderable														64.3
Bark - Level 1		0.3														
Bark - Level 2		-														
Grass - Level 1		0.2														
Grass - Level 2		-														
Prep - Level 1		-														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

673,837 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 13. -- **New Mexico**: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.2	2.8	10.6	13.6	16.9	18.6	6.3	2.0	0.2	71.2
	3	-	-	-	-	-	0.1	0.2	0.5	0.5	1.0	4.6	5.4	3.4	0.6	16.3
	4	-	-	-	-	-	-	*	-	-	-	0.4	0.4	0.4	0.2	1.4
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	*	0.3	2.9	11.2	14.1	17.9	23.6	12.1	5.8	1.0	88.9
31	1-2	-	-	-	-	-	*	0.3	0.5	0.6	0.6	0.7	0.2	*	*	2.9
	3	-	-	-	-	-	0.1	0.1	0.2	0.3	0.3	0.9	0.7	0.6	0.1	3.3
	4	-	-	-	-	-	*	*	*	*	0.1	0.3	0.4	0.4	0.1	1.5
	5	-	-	-	-	-	-	-	*	*	*	*	*	*	*	0.1
	6	-	-	-	-	-	-	-	-	-	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	0.1	0.3	0.7	0.9	1.0	2.0	1.3	1.1	0.3	7.8
41	1-2	-	-	-	-	-	-	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	4	-	-	-	-	-	*	*	*	*	0.1	0.1	*	*	-	0.2
	5	-	-	-	-	-	-	-	*	*	*	0.1	*	*	-	0.1
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL—		-	-	-	-	-	*	*	0.1	0.1	0.2	0.2	0.1	*	-	0.7
51	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	0.6
	3	-	-	-	-	-	*	*	*	*	0.1	0.2	0.2	0.3	*	0.9
	4	-	-	-	-	-	-	*	*	-	*	0.1	*	0.1	*	0.2
	5	-	-	-	-	-	-	-	-	-	-	*	-	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	0.2	0.2	0.2	0.3	0.3	0.4	0.1	1.7
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	*	*	0.1
	3	-	-	-	-	-	-	*	*	*	-	0.1	0.1	0.1	*	0.3
	4	-	-	-	-	-	-	-	*	*	-	0.1	0.1	0.1	*	0.3
	5	-	-	-	-	-	-	-	-	-	-	*	*	*	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	*	0.2	0.2	0.2	*	0.6
42	1-2	-	-	-	-	-	-	*	-	*	*	*	-	-	-	*
	3	-	-	-	-	-	-	*	*	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	*	*	*	*	*	*	-	-	*
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	*	*	-	-	-	*
TOTAL—		-	-	-	-	-	-	-	-	*	*	*	*	-	-	*

* Less than 0.05 percent.

Table 13. -- *New Mexico*: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY		LEAF	2001 Crop														TOTAL		
COLOR	STAPLE																		
			26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +			
			Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.		
62	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL—			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
13 & 23	1-2		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*		
	3		-	-	-	-	-	-	*	*	*	*	*	*	*	-	*		
	4		-	-	-	-	-	-	-	-	-	-	-	-	*	-	*		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL—			-	-	-	-	-	-	*	*	*	*	*	*	*	-	0.1		
33	1-2		-	-	-	-	-	-	*	*	-	*	*	*	-	-	*		
	3		-	-	-	-	-	-	*	*	-	-	*	*	*	-	*		
	4		-	-	-	-	-	-	-	-	-	-	*	*	*	*	*		
	5		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*		
	6		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL—			-	-	-	-	-	-	*	*	*	*	*	*	*	*	0.1		
43	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL—			-	-	-	-	-	-	-	-	-	-	*	-	-	-	*		
53	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL—			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
63	1-2		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	4		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	5		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	6		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL—			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
24-54	1-7		-	-	-	-	-	-	-	*	-	-	*	-	-	-	*		
25-35	1-7		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
81-85 1/	1-7		-	-	-	-	-	-	-	*	-	-	-	-	-	-	*		
All Colors	8 2/		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
TOTAL, ALL—			-	-	-	-	*	0.4	3.4	12.2	15.4	19.5	26.4	14.0	7.5	1.3	100.0		
XTRANEIOUS MATTER																	Average Staple	36.3	
																	Percent Tenderable	87.6	
Bark - Level 1			0.3																
Bark - Level 2			-																
Grass - Level 1			0.2																
Grass - Level 2			*																
Prep - Level 1			*																
Prep - Level 2			-																
Other - Level 1			*																
Other - Level 1			-																

57,917 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 14. -- *North Carolina*: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	3	-	-	-	*	*	0.2	0.8	1.9	2.1	0.9	0.1	-	-	-	5.9
	4	-	-	-	*	*	*	0.1	0.4	0.4	0.1	*	*	-	-	1.0
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	*	*	*	0.2	0.9	2.3	2.5	1.0	0.1	*	-	-	7.1
31	1-2	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	3	-	-	-	*	0.1	1.2	6.2	14.3	15.5	7.4	1.1	*	-	-	45.8
	4	-	-	-	*	*	0.3	2.7	8.2	7.9	3.9	0.9	*	-	-	23.9
	5	-	-	-	-	*	*	0.1	0.4	0.4	0.1	*	*	-	-	1.1
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	TOTAL—	-	-	-	*	0.2	1.6	9.1	23.1	23.9	11.4	2.0	*	-	-	71.3
41	1-2	-	-	-	*	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	0.3	1.2	2.7	2.7	1.3	0.2	*	-	-	8.5
	4	-	-	-	*	*	0.2	1.1	3.0	2.9	1.6	0.4	*	-	-	9.2
	5	-	-	-	-	*	*	0.1	0.4	0.3	0.1	*	*	-	-	1.0
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL—	-	-	-	*	0.1	0.4	2.5	6.1	6.0	3.0	0.7	*	-	-	18.9
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	-	-	-	0.5
	4	-	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	TOTAL—	-	-	-	*	*	*	0.1	0.5	0.5	0.2	*	*	-	-	1.3
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	TOTAL—	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.2
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	*	0.1	0.2	0.1	*	*	-	-	-	0.4
42	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	TOTAL—	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.1
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	*	0.1	0.1	*	*	*	-	-	0.2

* Less than 0.05 percent.

Table 14. -- *North Carolina*: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL, ALL—		-	-	-	-	0.3	2.3	12.9	32.4	33.4	15.8	2.9	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	1.0															
Bark - Level 2	"															
Grass - Level 1	2.0															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	-															

1,639,617 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Average Staple 34.6
Percent Tenderable 83.3

Table 15. — **Oklahoma:** Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	*	*	*	0.1	0.1	0.3	1.4	6.0	12.1	14.9	4.2	0.6	*	39.8
	3	-	*	*	*	0.1	0.2	0.3	0.5	1.4	2.9	3.4	0.9	0.2	*	9.9
	4	-	-	-	-	*	*	*	0.1	0.1	0.1	0.1	*	-	-	0.4
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	*	*	0.1	0.2	0.3	0.6	2.0	7.4	15.1	18.4	5.1	0.8	*	50.0
31	1-2	-	*	*	*	*	0.1	0.4	0.8	1.0	1.5	2.1	0.6	0.1	*	6.6
	3	-	*	*	*	0.2	0.5	1.0	1.6	1.5	1.4	1.6	0.6	0.1	*	8.6
	4	-	*	*	*	0.1	0.1	0.3	0.3	0.3	0.2	0.1	*	*	-	1.5
	5	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	*	*	0.1	0.1	0.3	0.7	1.7	2.7	2.8	3.1	3.8	1.3	0.2	*	16.8
41	1-2	-	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	-	0.5
	3	*	*	*	0.1	0.2	0.3	0.7	1.3	1.2	0.7	0.2	*	-	-	4.7
	4	-	*	0.1	0.2	0.3	0.4	0.8	1.2	1.0	0.6	0.1	*	*	-	4.7
	5	-	*	*	*	*	0.1	0.4	0.6	0.4	0.2	*	*	-	-	1.8
	6	-	-	*	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	7	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	TOTAL—	*	*	0.2	0.3	0.5	0.9	2.2	3.3	2.8	1.5	0.4	*	*	-	12.2
51	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.2
	4	-	*	*	*	*	*	*	*	*	*	*	-	*	*	0.2
	5	-	-	*	*	*	*	0.1	*	*	*	*	-	-	-	0.2
	6	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.3
	7	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	TOTAL—	-	*	*	*	0.1	0.2	0.3	0.2	0.2	*	*	-	-	-	1.0
61	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	*	*	*	*	0.1	0.4	0.4	0.2	*	*	-	1.2
	3	-	-	*	*	*	0.1	0.1	0.1	0.3	0.3	0.1	*	*	-	1.0
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	*	*	0.1	0.1	0.1	0.2	0.7	0.8	0.3	*	*	-	2.4
32	1-2	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.7
	3	*	*	*	*	0.1	0.2	0.5	0.8	0.7	0.3	0.1	*	*	-	3.0
	4	-	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	-	-	1.0
	5	-	*	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	*	*	0.1	0.1	0.2	0.4	0.8	1.3	1.2	0.6	0.2	*	*	-	4.8
42	1-2	-	-	*	*	*	*	*	0.1	*	*	*	*	*	-	0.2
	3	-	*	*	*	*	0.1	0.4	0.9	1.3	0.6	*	*	-	-	3.4
	4	-	*	*	*	*	0.2	0.5	0.7	0.9	0.4	*	-	-	-	2.8
	5	*	*	*	*	*	0.2	0.3	0.4	0.3	0.1	*	-	-	-	1.3
	6	-	*	*	*	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4
	7	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	TOTAL—	*	*	*	*	0.2	0.6	1.4	2.2	2.6	1.1	0.1	*	*	-	8.2
52	1-2	-	-	-	*	-	-	*	*	*	*	-	-	*	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	-	-	-	-	0.1
	7	-	-	*	*	*	*	*	*	*	*	-	-	-	-	0.1
	TOTAL—	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.5

* Less than 0.05 percent.

Table 15. -- **Oklahoma**: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	*	-	-	-	-	-
	4	-	-	-	-	-	-	*	*	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13 & 23	1-2	*	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	4	-	*	*	*	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		*	*	*	*	*	*	*	*	0.1	0.1	*	*	-	-	0.3
33	1-2	*	*	*	*	*	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	3	*	*	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	-	0.8
	4	-	*	*	*	*	*	0.1	0.1	0.1	*	*	-	-	-	0.3
	5	-	*	*	*	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		*	*	*	*	*	0.1	0.2	0.4	0.4	0.2	0.1	*	*	-	1.5
43	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	*	*	*	*	*	0.1	0.2	0.2	0.1	*	-	-	-	0.7
	4	-	-	*	*	*	*	0.1	0.2	0.2	0.1	*	-	-	-	0.6
	5	-	-	*	*	*	*	0.1	0.1	*	*	*	-	-	-	0.4
	6	-	-	-	*	*	*	*	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
TOTAL—		-	*	*	*	0.1	0.1	0.4	0.5	0.5	0.2	*	-	-	-	1.8
53	1-2	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	3	-	-	-	*	-	-	*	*	*	*	*	-	-	-	*
	4	-	-	*	*	*	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	*	*	*	*	*	*	-	-	-	-	-	*
	6	-	-	*	*	*	*	*	*	*	-	-	-	-	-	*
	7	-	-	-	-	*	*	*	*	*	-	-	-	-	-	*
TOTAL—		-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	*	-	-	*	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	*	-	*	-	*	-	-	-	-	-	-	-	*
24-54	1-7	-	*	*	*	*	*	*	*	0.1	*	*	-	-	-	0.2
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All Colors	8 2/	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
TOTAL, ALL—		*	0.1	0.4	0.8	1.6	3.7	8.0	13.1	18.7	22.9	23.4	6.5	0.9	*	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	7.4															
Bark - Level 2	*															
Grass - Level 1	*															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	-															
Other - Level 1	*															
Other - Level 1	-															

193,510 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 16. -- *South Carolina*: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	*	*	0.1	0.4	0.6	0.3	0.1	*	*	-	-	1.5
	3	-	-	-	*	0.1	0.7	2.5	4.6	3.3	0.9	0.2	*	-	-	12.3
	4	-	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	-	-	1.0
	5	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	0.1	0.9	3.0	5.5	3.9	1.1	0.3	*	-	-	14.8
31	1-2	-	-	-	*	0.1	0.3	0.5	0.5	0.2	*	*	-	-	-	1.5
	3	-	-	-	*	0.8	5.7	14.3	16.3	8.5	2.0	0.2	*	-	-	48.0
	4	-	-	-	*	0.2	1.3	4.0	5.2	3.1	0.9	0.2	*	-	-	14.8
	5	-	-	-	*	*	*	0.1	0.2	0.2	0.1	*	*	-	-	0.6
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	0.1	1.1	7.4	18.9	22.2	11.9	3.0	0.4	*	-	-	65.0
41	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	-	-	*	0.2	1.2	2.4	2.3	1.3	0.3	*	*	-	-	7.8
	4	-	-	-	*	0.2	0.9	2.2	2.3	1.3	0.4	*	*	-	-	7.4
	5	-	-	-	*	*	0.1	0.2	0.3	0.2	*	*	*	-	-	0.8
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL—	-	-	-	*	0.4	2.3	4.8	4.9	2.8	0.7	0.1	*	-	-	16.1
51	1-2	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	0.1	0.1	0.1	*	*	*	-	-	0.4
	4	-	-	-	*	*	0.1	0.1	0.1	0.1	*	*	*	-	-	0.5
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	TOTAL—	-	-	-	*	*	0.1	0.3	0.3	0.2	0.1	*	*	-	-	1.0
61	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
12 & 22	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
32	1-2	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	*	*	0.2	0.2	0.1	*	*	*	*	-	-	0.6
	4	-	-	-	*	*	0.1	0.2	0.2	0.1	*	*	*	-	-	0.7
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	0.3	0.5	0.3	0.1	*	*	*	-	-	1.3
42	1-2	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	3	-	-	-	-	*	0.1	0.2	0.1	*	*	*	*	-	-	0.4
	4	-	-	-	-	*	0.2	0.3	0.2	0.1	*	*	*	-	-	0.8
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	0.3	0.5	0.4	0.1	*	*	*	-	-	1.4
52	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	4	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	-	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	*	-	-	*
	TOTAL—	-	-	-	*	*	*	*	*	*	*	*	*	-	-	0.1

* Less than 0.05 percent.

Table 16. -- **South Carolina**: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	*	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	*	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	-	*	*	*	-	-	-	-	-	*
All Colors	8 2/	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
TOTAL, ALL—		-	-	-	0.1	1.8	11.3	28.1	33.6	19.2	5.0	0.8	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1	0.3															
Bark - Level 2	-															
Grass - Level 1	0.8															
Grass - Level 2	*															
Prep - Level 1	*															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 2	-															

404,287 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 17. -- *Tennessee*: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	*	0.5	1.5	1.0	0.3	0.1	*	-	-	-	3.5
	3	-	-	-	-	*	0.3	1.9	2.7	1.4	0.5	0.1	*	-	-	6.8
	4	-	-	-	-	-	*	*	0.2	0.1	*	*	*	-	-	0.4
	5	-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	0.8	3.5	3.9	1.8	0.6	0.1	*	-	-	10.7
31	1-2	-	-	-	-	0.1	1.2	2.8	1.8	0.5	0.1	*	-	-	-	6.4
	3	-	-	-	-	0.1	2.1	11.3	15.4	7.4	2.7	0.4	*	-	-	39.4
	4	-	-	-	-	*	0.1	0.8	2.2	2.0	0.9	0.2	*	-	-	6.1
	5	-	-	-	-	-	*	*	*	0.1	*	*	*	-	-	0.2
	6	-	-	-	-	-	-	*	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL—	-	-	-	-	0.2	3.3	14.9	19.5	9.9	3.7	0.7	*	-	-	52.1
41	1-2	-	-	-	-	*	0.1	0.2	0.2	*	*	-	-	-	-	0.6
	3	-	-	-	-	*	0.7	3.4	4.9	2.4	0.8	0.1	*	-	-	12.4
	4	-	-	-	-	*	0.2	0.9	1.7	1.4	0.7	0.2	*	-	-	5.1
	5	-	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	0.3
	6	-	-	-	-	-	*	*	-	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	1.0	4.6	6.8	4.0	1.7	0.3	*	-	-	18.3
51	1-2	-	-	-	-	-	*	*	-	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.2	0.1	*	*	-	-	-	0.5
	4	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.3
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL—	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	-	-	-	0.9
61	1-2	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
12 & 22	1-2	-	-	-	-	*	0.1	0.1	*	*	*	-	-	-	-	0.3
	3	-	-	-	-	*	0.1	0.2	0.2	0.1	*	*	-	-	-	0.6
	4	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	0.1	0.3	0.3	0.1	*	*	-	-	-	0.9
32	1-2	-	-	-	-	*	0.3	0.4	0.2	*	*	*	-	-	-	1.0
	3	-	-	-	-	*	0.7	2.4	2.3	0.9	0.2	*	*	-	-	6.6
	4	-	-	-	-	*	*	0.2	0.5	0.4	0.1	*	*	-	-	1.3
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	*	-	-	-	-	*
	TOTAL—	-	-	-	-	0.1	1.0	3.1	3.0	1.3	0.4	0.1	*	-	-	8.9
42	1-2	-	-	-	-	*	0.1	0.1	*	*	*	-	-	-	-	0.2
	3	-	-	-	-	*	0.4	1.5	1.5	0.6	0.1	*	*	-	-	4.0
	4	-	-	-	-	*	0.1	0.5	0.7	0.5	0.2	*	*	-	-	2.1
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.2
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	TOTAL—	-	-	-	-	*	0.6	2.1	2.3	1.1	0.3	*	*	-	-	6.5
52	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	0.1
	4	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.2
	5	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	-	*	*	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	0.1	0.1	0.1	*	*	*	-	-	-	0.4

* Less than 0.05 percent.

Table 17. — **Tennessee**: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
13 & 23	1-2	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
33	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	-	0.5
43	1-2	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	*	0.1	0.1	*	*	*	-	-	-	0.4
	4	-	-	-	-	*	*	*	0.1	*	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	*	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	0.2	0.2	0.1	*	*	-	-	-	0.5
53	1-2	-	-	-	-	-	*	*	*	-	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	*	-	-	*	*	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	*	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	TOTAL—	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
24-54	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	0.1
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	*	*	*	*	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
TOTAL, ALL—		-	-	-	-	0.4	7.1	29.3	36.6	18.7	6.8	1.2	*	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.3														
Bark - Level 2		*														
Grass - Level 1		0.2														
Grass - Level 2		-														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		*														
Other - Level 1		-														

950,220 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Average Staple 33.9
Percent Tenderable 43.1

Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	*	*	*	0.3	1.4	3.9	7.5	9.9	7.1	3.3	1.5	0.2	*	*	35.1
	3	*	*	*	0.1	0.6	1.7	3.2	4.2	3.1	1.4	1.0	0.2	*	*	15.8
	4	-	*	*	*	*	0.2	0.3	0.4	0.3	0.1	0.1	*	*	*	1.6
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	TOTAL—	*	*	0.1	0.4	2.1	5.8	11.1	14.6	10.6	4.9	2.6	0.5	*	*	52.5
31	1-2	-	*	*	*	0.1	0.5	0.8	0.9	0.6	0.3	0.1	*	*	*	3.4
	3	*	*	*	0.1	0.3	1.0	2.0	2.3	1.5	0.8	0.5	0.1	*	*	8.7
	4	-	*	*	*	0.1	0.3	0.7	0.9	0.6	0.3	0.2	0.1	*	*	3.2
	5	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL—	*	*	*	0.1	0.6	1.8	3.7	4.1	2.8	1.4	0.9	0.2	*	*	15.7
41	1-2	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	0.4
	3	*	*	*	*	0.1	0.3	0.4	0.5	0.4	0.2	0.1	*	*	*	2.0
	4	-	-	*	*	0.1	0.2	0.4	0.5	0.3	0.1	0.1	*	*	*	1.7
	5	-	*	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	*	0.7
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	7	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL—	*	*	*	*	0.2	0.6	1.1	1.3	0.9	0.5	0.2	*	*	*	5.0
51	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	4	-	-	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	5	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL—	-	-	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.4
61	1-2	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	5	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	*	*	*	*	*	*	*	*	*	*	*	*
71	1-2	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	3	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	-	-	-	-	*	*	*	*	*	*	*	*	*	*	*
12 & 22	1-2	*	*	*	0.1	0.3	0.6	0.9	1.1	0.7	0.2	0.1	*	*	*	3.9
	3	-	*	*	0.1	0.2	0.5	0.7	0.9	0.6	0.2	0.1	*	*	*	3.3
	4	*	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.5
	5	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	TOTAL—	*	*	*	0.1	0.5	1.1	1.7	2.1	1.4	0.5	0.2	*	*	*	7.7
32	1-2	-	*	*	*	0.1	0.1	0.2	0.3	0.1	*	*	*	*	*	0.9
	3	-	*	*	*	0.2	0.5	0.9	0.9	0.6	0.2	0.1	*	*	*	3.5
	4	*	*	*	*	0.1	0.2	0.4	0.4	0.3	0.1	*	*	*	*	1.6
	5	-	*	*	*	*	*	*	0.1	*	*	*	*	*	*	0.2
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL—	*	*	*	0.1	0.4	0.9	1.5	1.7	1.0	0.4	0.2	*	*	*	6.2
42	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	*	*	0.1	0.3	0.4	0.4	0.4	0.2	*	*	*	*	*	1.8
	4	-	*	*	*	0.2	0.3	0.5	0.4	0.2	0.1	*	*	*	*	1.7
	5	-	-	*	*	0.1	0.1	0.2	0.2	0.1	*	*	*	*	*	0.7
	6	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	7	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL—	-	*	*	0.1	0.5	0.9	1.2	1.1	0.5	0.1	*	*	*	*	4.6
52	1-2	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.2
	3	-	*	*	*	0.2	0.3	0.3	0.2	0.1	*	*	*	*	*	1.1
	4	-	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	*	0.4
	5	-	*	*	*	*	*	*	*	*	*	*	*	*	*	0.1
	6	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	*	*	*
	TOTAL—	-	*	*	0.1	0.3	0.5	0.4	0.3	0.1	*	*	*	*	*	1.8

* Less than 0.05 percent.

Table 18. -- **Texas**: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	TOTAL
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	*	*	*	*	*	*	*	*	*	*	*	-	*
	3	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	-	-	-	*	*	-	-	-	-	-	-	*
TOTAL—		-	-	*	*	*	0.1	0.1	*	*	*	*	*	-	-	0.2
13 & 23	1-2	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	3	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.4
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	5	-	-	*	*	*	*	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL—		-	*	*	*	*	0.1	0.2	0.2	0.2	*	*	*	*	-	0.8
33	1-2	-	-	*	*	*	*	0.1	0.1	*	*	*	*	*	-	0.3
	3	*	*	*	*	*	0.1	0.2	0.3	0.2	0.1	*	*	*	*	1.0
	4	-	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	-	0.3
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	-	-	-	-	-	-	-	-	*
TOTAL—		*	*	*	*	0.1	0.2	0.4	0.4	0.3	0.1	0.1	*	*	*	1.6
43	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	*	0.6
	4	*	*	*	*	*	0.1	0.1	0.1	*	*	*	*	*	*	0.4
	5	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	6	-	*	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL—		*	*	*	*	0.1	0.2	0.3	0.3	0.2	0.1	0.1	*	*	*	1.2
53	1-2	-	*	*	*	*	*	*	*	*	*	*	*	-	-	0.1
	3	-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	-	-	0.5
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
TOTAL—		-	*	*	*	0.1	0.2	0.2	0.1	*	*	*	*	-	-	0.8
63	1-2	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	3	-	*	0.1	*	0.1	0.1	0.1	*	*	*	*	*	-	-	0.3
	4	-	-	*	*	*	*	*	*	*	*	*	*	-	-	0.2
	5	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	6	-	-	*	*	*	*	*	*	*	*	*	*	-	-	*
	7	-	-	-	*	*	-	-	*	-	*	-	-	-	-	*
TOTAL—		-	*	*	*	0.1	0.2	0.1	0.1	*	*	*	*	-	-	0.5
24-54	1-7	-	*	*	*	*	0.1	0.1	0.1	0.1	*	*	*	*	-	0.5
25-35	1-7	-	-	-	-	*	*	-	-	*	*	-	-	-	-	*
81-85 1/	1-7	-	-	*	*	*	0.1	0.1	*	*	*	*	*	*	-	0.3
All Colors	8 2/	-	*	*	*	*	*	*	*	*	*	*	*	*	*	*
TOTAL, ALL—		*	*	0.2	1.1	5.1	13.0	22.3	26.6	18.1	8.2	4.3	0.9	0.1	*	100.0
EXTRANEEOUS MATTER																Average Staple
																Percent Tenderable
Bark - Level 1	5.8															33.8
Bark - Level 2	*															53.2
Grass - Level 1	0.8															
Grass - Level 2	*															
Prep - Level 1	0.1															
Prep - Level 2	*															
Other - Level 1	*															
Other - Level 1	*															

4,154,609 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 19. — *Virginia*: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
11 & 21	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	3	-	-	-	-	*	*	0.2	1.0	1.4	1.0	0.2	*	-	-	3.8
	4	-	-	-	-	-	*	*	0.2	0.3	0.2	0.1	-	-	-	0.7
	5	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	*	*	0.2	1.2	1.8	1.1	0.2	*	-	-	4.6
31	1-2	-	-	-	-	-	*	0.1	0.1	0.1	*	*	-	-	-	0.4
	3	-	-	-	-	*	0.5	4.2	12.3	16.1	8.9	1.8	*	-	-	43.8
	4	-	-	-	-	*	0.1	1.1	5.5	9.4	5.8	1.7	*	-	-	23.6
	5	-	-	-	-	-	-	*	0.1	0.4	0.3	0.1	*	-	-	0.9
	6	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL----		-	-	-	-	*	0.6	5.4	18.0	26.0	15.0	3.6	0.1	-	-	68.7
41	1-2	-	-	-	-	-	*	*	*	*	*	*	-	-	-	*
	3	-	-	-	-	*	0.2	1.4	3.4	4.1	1.8	0.4	*	-	-	11.3
	4	-	-	-	-	*	0.1	0.7	2.8	4.6	3.2	1.3	0.1	-	-	12.8
	5	-	-	-	-	-	*	*	0.2	0.4	0.4	0.2	*	-	-	1.1
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	0.1
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	*	0.3	2.1	6.4	9.2	5.4	1.9	0.1	-	-	25.3
51	1-2	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	3	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	0.2
	4	-	-	-	-	-	*	*	*	0.1	0.1	*	-	-	-	0.3
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	*	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	0.1	0.2	0.2	*	-	-	-	0.6
61	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
71	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
12 & 22	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	*	*	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
32	1-2	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	*	*	*	-	*	*	*	-	-	-	0.2
	4	-	-	-	-	-	*	*	0.1	0.1	*	*	-	-	-	0.2
	5	-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
	6	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	*	*	0.1	0.1	0.2	0.1	*	-	-	-	0.4
42	1-2	-	-	-	-	-	-	*	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	4	-	-	-	-	-	*	*	*	*	*	*	-	-	-	0.1
	5	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	6	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	0.1	0.1	0.1	*	-	-	-	0.3
52	1-2	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	*
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	0.1

* Less than 0.05 percent.

Table 19. — Virginia: Percent distribution of color, leaf and staple for upland cotton classed:
2001 Crop

QUALITY	LEAF	STAPLE														TOTAL
		26 & -	28	29	30	31	32	33	34	35	36	37	38	39	40 & +	
COLOR		Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.	Pct.
62	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
13 & 23	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	*	-	-	-	-	-	*
33	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	-	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
43	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	*	*	*	*	-	-	-	-	*
	4	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	*	*	*	*	*	-	-	-	*
53	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
	4	-	-	-	-	-	-	-	*	*	*	-	-	-	-	*
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	*	*	*	*	-	-	-	*
63	1-2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	*	-	-	-	-	-	-	-	-	-	-	-	-
	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL----		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24-54	1-7	-	-	-	-	-	-	-	*	-	-	*	-	-	-	*
25-35	1-7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
81-85 1/	1-7	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
All Colors	8 2/	-	-	-	-	-	-	-	-	*	*	*	-	-	-	*
TOTAL, ALL-----		-	-	-	*	*	1.0	7.8	25.9	37.4	21.9	5.8	0.1	-	-	100.0
EXTRANEEOUS MATTER																
Bark - Level 1		0.6														
Bark - Level 2		*														
Grass - Level 1		2.7														
Grass - Level 2		*														
Prep - Level 1		*														
Prep - Level 2		-														
Other - Level 1		-														
Other - Level 1		-														

177,971 Bales classed. 1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 21. -- Tenderability of upland cotton classed, by states, 2001 crop

State	Tenderable 1/		Untenderable	
	<i>Bales</i>	<i>Pct.</i>	<i>Bales</i>	<i>Pct.</i>
Alabama	713,385	78.6	193,735	21.4
Arizona	418,917	65.2	223,795	34.8
Arkansas	1,040,009	58.2	748,110	41.8
California	1,583,445	90.9	158,725	9.1
Florida	125,380	85.0	22,064	15.0
Georgia	1,802,131	83.8	349,053	16.2
Kansas	4,536	18.1	20,540	81.9
Louisiana	450,836	43.2	593,831	56.8
Mississippi	1,008,053	43.1	1,330,568	56.9
Missouri	433,478	64.3	240,359	35.7
New Mexico	50,703	87.6	7,208	12.4
North Carolina	1,366,293	83.3	273,324	16.7
Oklahoma	118,855	61.4	74,655	38.6
South Carolina	293,726	72.7	110,561	27.3
Tennessee	409,535	43.1	540,685	56.9
Texas	2,210,091	53.2	1,944,518	46.8
Virginia	138,221	77.7	39,750	22.3
United States	12,167,594	63.9	6,871,481	36.1

1/ Tenderable with respect to color, leaf, staple and mike in settlement of New York No. 2 futures contracts.

Table 22. -- Tenderability of upland cotton classed, in the United States, 1980-2000 crops.

Year	Tenderable 1/		Untenderable	
	<i>Bales</i>	<i>Pct.</i>	<i>Bales</i>	<i>Pct.</i>
1982	7,166,579	62.7	4,263,069	37.3
1983	3,864,764	52.1	3,548,570	47.9
1984	5,414,575	43.6	7,004,174	56.4
1985	7,252,955	56.5	5,584,133	43.5
1986	4,073,446	44.1	5,163,393	55.9
1987	8,588,694	61.0	5,494,696	39.0
1988	8,743,021	60.5	5,719,472	39.5
1989	6,889,963	62.9	4,067,843	37.1
1990	8,034,460	55.5	6,443,058	44.5
1991	9,576,743	58.2	6,867,923	41.8
1992	10,082,486	67.4	4,881,090	32.6
1993	9,262,901	61.7	5,747,395	38.3
1994	11,968,375	64.7	6,541,523	35.3
1995	10,492,168	62.6	6,259,089	37.4
1996	11,469,168	64.9	6,199,753	35.1
1997	12,042,873	68.5	5,532,967	31.5
1998	7,351,983	56.5	5,659,801	43.5
1999	9,631,731	61.1	6,141,513	38.9
2000	10,462,481	64.0	5,885,322	36.0
2001	12,167,594	63.9	6,871,481	36.1

1/ 1982, New York No. 2 and New Orleans; 1983-84, New York No. 2; 1985, New York and Chicago; and 1986-2001 New York No. 2 futures contracts.

Table 23. — Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2001 crop.

ABILENE						BIRMINGHAM			CORPUS CHRISTI		DUMAS	
Color	Leaf	Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total
11 & 21	1-2	3.1	39.8	13.4	19.3	1.8	0.3	1.7	22.1	0.5	0.9	0.8
	3	12.5	9.9	6.8	7.7	11.5	4.1	10.7	23.2	1.5	1.7	1.7
	4	2.3	0.4	0.4	0.5	1.6	0.4	1.5	1.9	0.1	0.1	0.1
	5	0.1	*	*	*	*	*	*	*	-	*	*
	6	-	-	-	-	-	-	-	*	-	-	-
	7	-	-	-	-	-	-	-	*	-	-	-
	Total	18.0	50.0	20.6	27.4	14.9	4.8	13.9	47.2	2.0	2.6	2.5
31	1-2	1.8	6.6	2.5	3.4	2.2	1.4	2.1	5.4	1.6	2.0	1.9
	3	23.7	8.6	10.4	10.4	36.8	37.7	36.9	12.4	25.7	22.9	23.5
	4	11.9	1.5	2.8	2.7	14.6	7.3	13.9	4.4	8.4	4.5	5.4
	5	2.5	0.1	0.3	0.3	0.5	0.1	0.5	0.4	0.1	0.1	0.1
	6	0.2	*	*	*	*	-	*	*	*	*	*
	7	-	-	-	-	*	-	*	*	*	*	*
	Total	40.0	16.8	15.9	16.9	54.1	46.6	53.3	22.5	35.8	29.5	30.9
41	1-2	0.2	0.5	0.6	0.6	0.4	0.5	0.4	1.1	0.3	0.4	0.4
	3	5.2	4.7	6.8	6.3	12.7	29.2	14.5	2.4	16.5	18.9	18.4
	4	6.5	4.7	4.9	4.9	9.0	12.8	9.4	1.1	18.3	13.6	14.7
	5	4.2	1.8	2.1	2.1	0.7	0.5	0.7	0.3	0.8	0.6	0.6
	6	2.7	0.4	0.4	0.5	*	*	*	*	*	*	*
	7	0.5	0.1	*	*	*	*	*	*	*	*	*
	Total	19.3	12.2	14.8	14.4	22.9	43.0	25.0	4.8	35.9	33.5	34.0
51	1-2	-	*	0.1	0.1	0.2	*	0.1	0.1	*	*	*
	3	*	0.2	1.0	0.8	2.5	2.7	2.5	0.2	0.2	0.4	0.4
	4	*	0.2	0.5	0.4	1.1	2.2	1.2	0.1	0.4	1.0	0.8
	5	*	0.2	0.2	0.2	0.1	*	0.1	*	0.1	0.1	0.1
	6	0.2	0.3	0.1	0.1	*	*	*	*	*	*	*
	7	0.1	0.1	*	0.1	*	-	*	*	*	*	*
	Total	0.4	1.0	1.9	1.7	3.9	5.0	4.0	0.5	0.7	1.5	1.3
61	1-2	-	-	*	*	*	-	*	*	-	-	-
	3	-	*	*	*	*	*	*	*	-	-	-
	4	-	*	*	*	*	*	*	*	-	-	-
	5	-	*	*	*	*	*	*	*	-	-	-
	6	-	-	*	*	*	-	*	-	-	*	*
	7	-	*	-	*	*	-	*	-	-	-	-
	Total	-	*	*	*	0.1	0.1	0.1	*	-	*	*
71	1-2	-	-	-	-	-	-	-	*	-	-	-
	3	-	*	*	*	-	-	-	*	-	-	-
	4	-	-	*	*	-	-	-	*	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	-	-	-	-	*	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-
	Total	-	*	*	*	-	-	-	*	-	-	-
12 & 22	1-2	0.3	1.2	0.8	0.9	*	-	*	2.6	*	*	*
	3	1.8	1.0	1.2	1.2	0.3	*	0.2	2.7	0.1	0.1	0.1
	4	0.2	0.1	0.1	0.1	0.1	-	0.1	0.3	*	*	*
	5	-	*	*	*	*	-	*	*	-	*	*
	6	-	-	-	-	*	-	*	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-
	Total	2.2	2.4	2.1	2.2	0.4	*	0.3	5.6	0.1	0.2	0.1
32	1-2	0.2	0.7	0.7	0.7	*	*	*	0.8	0.1	0.2	0.2
	3	5.7	3.0	5.2	4.7	0.6	0.1	0.6	2.7	2.7	4.1	3.8
	4	3.4	1.0	2.1	1.9	0.6	*	0.5	1.1	1.9	1.2	1.4
	5	0.7	0.1	0.3	0.3	*	-	*	0.1	0.1	*	*
	6	0.1	*	*	*	*	-	*	*	*	*	*
	7	-	-	*	*	*	-	*	*	-	*	*
	Total	10.2	4.8	8.3	7.5	1.3	0.1	1.2	4.7	4.8	5.6	5.4
42	1-2	*	0.2	0.7	0.6	*	*	*	0.1	0.1	0.1	0.1
	3	1.2	3.4	7.9	6.7	0.6	0.2	0.6	0.5	5.7	10.5	9.4
	4	1.2	2.8	5.4	4.7	0.8	0.1	0.7	0.4	11.1	10.1	10.3
	5	1.6	1.3	2.7	2.3	0.1	*	0.1	0.1	0.7	0.5	0.5
	6	1.0	0.4	0.7	0.6	*	*	*	*	*	*	*
	7	0.2	0.1	*	0.1	*	-	*	-	*	*	*
	Total	5.2	8.2	17.5	14.9	1.5	0.3	1.4	1.1	17.5	21.2	20.4
52	1-2	-	*	0.8	0.6	*	-	*	0.2	*	*	*
	3	*	0.1	5.7	4.2	0.1	0.1	0.1	1.1	0.2	0.7	0.6
	4	*	0.1	2.1	1.6	0.1	0.1	0.1	0.2	0.8	1.8	1.6
	5	*	0.1	0.4	0.3	*	*	*	*	0.2	0.2	0.2
	6	0.1	0.1	0.3	0.2	*	*	*	*	*	*	*
	7	0.1	0.1	0.1	0.1	*	-	*	-	*	*	*
	Total	0.2	0.5	9.3	7.0	0.3	0.1	0.3	1.6	1.2	2.8	2.4

Table 23. - Continued.

ABILENE						BIRMINGHAM			CORPUS CHRISTI	DUMAS		
Color	Leaf	Kansas	Oklahoma	Texas	Classing Office Total 1/	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total
62	1-2	-	-	*	*	*	-	*	0.1	*	-	*
	3	-	*	0.1	0.1	*	-	*	0.6	*	*	*
	4	*	*	*	*	*	*	*	0.2	*	*	*
	5	-	-	*	*	*	-	*	*	*	*	*
	6	-	*	*	*	*	-	*	*	*	*	*
	7	-	*	*	*	*	-	*	-	-	*	*
Total		*	*	0.1	0.1	*	*	*	1.0	*	*	*
13 - 23	1-2	0.1	0.1	0.1	0.1	*	-	*	0.3	-	*	*
	3	0.3	0.1	0.1	0.1	*	-	*	0.2	*	*	*
	4	*	*	*	*	*	*	*	*	*	*	*
	5	-	*	*	*	*	-	*	*	-	-	-
	6	-	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-	-
Total		0.4	0.3	0.2	0.2	*	*	*	0.5	*	*	*
33	1-2	0.1	0.3	0.1	0.2	*	-	*	0.5	*	*	*
	3	1.5	0.8	1.2	1.1	0.1	*	0.1	1.5	0.2	0.3	0.3
	4	0.7	0.3	0.5	0.4	0.1	*	0.1	0.3	0.1	0.1	0.1
	5	0.3	0.1	0.1	0.1	*	-	*	*	*	*	*
	6	*	*	*	*	*	-	*	*	-	-	-
	7	*	-	-	*	-	-	-	-	-	-	-
Total		2.6	1.5	1.9	1.8	0.2	*	0.2	2.3	0.3	0.4	0.4
43	1-2	0.1	0.1	0.1	0.1	*	-	*	0.1	*	*	*
	3	0.4	0.7	1.3	1.1	0.1	*	0.1	1.1	0.4	0.9	0.8
	4	0.1	0.6	1.1	1.0	0.1	*	0.1	0.5	0.9	0.9	0.9
	5	0.3	0.4	0.6	0.5	*	-	*	*	0.1	0.1	0.1
	6	0.2	0.1	0.2	0.2	*	-	*	*	*	*	*
	7	*	*	*	*	-	-	-	-	*	*	*
Total		1.0	1.8	3.3	2.9	0.2	*	0.2	1.8	1.4	1.9	1.8
53	1-2	-	*	0.4	0.3	*	-	*	0.1	*	*	*
	3	*	*	2.0	1.4	*	*	*	1.0	*	0.2	0.1
	4	*	*	0.7	0.5	*	*	*	0.4	0.1	0.4	0.3
	5	*	*	0.2	0.1	*	-	*	*	0.1	0.1	0.1
	6	*	*	*	*	*	-	*	*	*	*	*
	7	-	*	*	*	-	-	-	-	*	*	*
Total		0.1	0.1	3.2	2.4	0.1	*	0.1	1.5	0.2	0.6	0.5
63	1-2	-	-	*	*	-	-	-	0.1	-	-	-
	3	-	*	0.1	0.1	*	*	*	1.2	*	*	*
	4	-	*	0.1	*	*	-	*	0.7	*	*	*
	5	-	*	*	*	*	-	*	0.1	-	*	*
	6	-	*	*	*	-	-	-	*	-	-	-
	7	-	*	*	*	-	-	-	*	-	-	-
Total		-	*	0.2	0.1	*	*	*	2.1	*	*	*
24 - 54	1-7	0.3	0.2	0.4	0.3	0.1	*	0.1	1.7	0.1	0.2	0.2
25 - 35	1-7	-	-	*	*	*	-	*	*	-	-	-
81 - 85 1/	1-7	*	-	*	*	*	-	*	1.1	*	*	*
All Colors	8 2/	*	0.1	*	*	-	-	-	*	*	*	*
STAPLE												
28 & shorter		1.2	0.1	*	0.1	-	-	-	*	-	-	-
29		3.3	0.4	0.3	0.4	*	-	*	0.2	-	-	-
30		7.1	0.8	2.0	1.9	-	-	-	0.9	*	*	*
31		12.8	1.6	7.8	6.5	0.2	*	0.2	3.7	0.1	0.1	0.1
32		19.9	3.7	16.4	13.5	3.3	1.6	3.1	9.5	0.9	2.3	2.0
33		23.3	8.0	22.2	18.9	18.1	11.5	17.4	17.1	9.5	17.5	15.7
34		16.4	13.1	23.0	20.5	35.3	34.8	35.3	22.1	30.4	40.1	37.9
35		9.5	18.7	16.5	16.8	29.1	37.9	30.0	20.6	41.0	29.5	32.1
36		5.2	22.9	8.1	11.5	11.8	13.1	12.0	12.8	16.3	9.2	10.8
37		1.2	23.4	3.1	7.8	2.2	1.1	2.1	10.1	1.9	1.1	1.3
38 & longer		0.1	7.4	0.5	2.1	*	*	*	3.0	*	0.1	0.1
All Staples		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple		32.7	35.4	33.6	34.0	34.3	34.5	34.4	34.4	34.7	34.3	34.4
Total Classed		25,076	193,510	608,053	826,639	907,120	107,216	1,014,336	956,135	587,842	2,047,806	2,635,648

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 24. — Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2001 crop.

FLORENCE						LAMESA	LUBBOCK	MACON		
Color	Leaf	North Carolina	South Carolina	Virginia	Classing Office Total	Texas	Texas	Florida	Georgia	Classing Office Total
11 & 21	1-2	0.2	1.5	0.1	0.4	41.2	45.0	1.8	2.0	2.0
	3	5.9	12.3	3.8	6.9	15.4	15.3	10.6	10.4	10.4
	4	1.0	1.0	0.7	1.0	1.8	1.7	0.4	0.5	0.5
	5	*	*	*	*	*	0.1	-	*	*
	6	*	*	*	*	*	*	-	*	*
	7	-	-	-	-	-	-	-	-	-
	Total	---	7.1	14.8	4.6	8.3	58.4	62.1	12.8	12.9
31	1-2	0.5	1.5	0.4	0.7	5.1	2.4	3.0	2.2	2.2
	3	45.8	48.0	43.8	46.0	10.0	6.6	41.2	44.3	44.2
	4	23.9	14.8	23.6	22.2	3.3	3.0	3.8	6.5	6.5
	5	1.1	0.6	0.9	1.0	0.3	0.5	0.1	0.1	0.1
	6	*	*	*	*	*	*	*	*	*
	7	*	*	*	*	-	*	-	*	*
	Total	---	71.3	65.0	68.7	69.9	18.7	12.4	48.1	53.1
41	1-2	*	0.1	*	0.1	0.3	0.1	0.5	0.4	0.4
	3	8.5	7.8	11.3	8.6	1.1	0.7	25.9	18.6	18.8
	4	9.2	7.4	12.8	9.1	0.9	1.3	3.8	7.1	7.0
	5	1.0	0.8	1.1	1.0	0.5	0.6	*	0.3	0.3
	6	0.1	0.1	0.1	0.1	0.1	0.1	-	*	*
	7	*	*	*	*	*	*	-	*	*
	Total	---	18.9	16.1	25.3	18.9	2.8	2.8	30.2	26.4
51	1-2	*	*	*	*	*	*	0.3	0.2	0.2
	3	0.5	0.4	0.2	0.5	*	*	7.5	4.1	4.1
	4	0.7	0.5	0.3	0.6	*	*	0.7	1.1	1.1
	5	0.1	0.1	0.1	0.1	*	*	*	0.1	0.1
	6	*	*	*	*	*	*	-	*	*
	7	*	*	*	*	*	*	-	*	*
	Total	---	1.3	1.0	0.6	1.2	*	*	8.5	5.4
61	1-2	-	*	*	*	-	*	-	*	*
	3	*	*	*	*	-	*	0.1	0.1	0.1
	4	*	0.1	-	*	-	*	*	*	*
	5	*	*	-	*	-	-	-	*	*
	6	*	*	-	*	-	-	-	*	*
	7	*	-	-	*	-	-	-	*	*
	Total	---	0.1	0.1	*	0.1	-	*	0.1	0.1
71	1-2	-	-	-	-	-	*	-	*	*
	3	*	*	*	*	-	*	*	*	*
	4	*	*	*	*	-	-	-	*	*
	5	*	-	-	*	-	-	-	*	*
	6	*	*	-	*	-	-	-	*	*
	7	*	-	-	*	-	-	-	*	*
	Total	---	*	*	*	*	-	*	*	*
12 & 22	1-2	*	*	-	*	5.0	5.3	-	*	*
	3	*	*	*	*	5.3	3.8	*	*	*
	4	*	*	*	*	1.5	0.5	-	*	*
	5	*	*	*	*	*	*	-	*	*
	6	-	*	-	*	-	*	-	-	-
	7	-	-	-	-	-	-	-	-	-
	Total	---	0.1	0.1	0.1	0.1	11.8	9.6	*	0.1
32	1-2	*	*	*	*	0.8	1.1	*	*	*
	3	0.2	0.6	0.2	0.2	2.4	3.6	0.1	0.5	0.5
	4	0.2	0.7	0.2	0.3	1.2	1.7	*	0.2	0.2
	5	*	*	*	*	0.1	0.3	-	*	*
	6	*	*	*	*	*	*	-	*	*
	7	*	*	*	*	*	*	-	*	*
	Total	---	0.4	1.3	0.4	0.6	4.5	6.6	0.1	0.7
42	1-2	*	*	-	*	0.1	0.1	*	*	*
	3	0.1	0.4	0.1	0.2	0.6	0.9	0.1	0.5	0.5
	4	0.2	0.8	0.1	0.3	0.6	1.5	*	0.4	0.4
	5	*	0.1	*	0.1	0.3	0.6	-	*	*
	6	*	*	*	*	0.1	0.1	-	*	*
	7	*	*	*	*	*	*	-	*	*
	Total	---	0.4	1.4	0.3	0.6	1.6	3.1	0.1	1.0
52	1-2	*	-	*	*	-	*	-	*	*
	3	0.1	*	*	0.1	*	*	*	0.1	0.1
	4	0.1	*	*	0.1	*	*	*	0.1	0.1
	5	*	*	*	*	*	*	-	*	*
	6	*	*	*	*	*	*	-	*	*
	7	*	*	-	*	*	*	-	*	*
	Total	---	0.2	0.1	0.1	0.2	*	0.1	*	0.2

Table 24. - Continued.

FLORENCE						LAMESA	LUBBOCK	MACON		
Color	Leaf	North Carolina	South Carolina	Virginia	Classing Office Total	Texas	Texas	Florida	Georgia	Classing Office Total
62	1-2	-	*	-	*	-	*	-	*	*
	3	*	*	*	*	-	*	-	*	*
	4	*	*	-	*	-	*	-	*	*
	5	*	*	-	*	-	*	-	*	*
	6	*	*	-	*	-	*	-	*	*
	7	*	-	-	*	-	-	-	*	*
Total		*	*	*	*	-	*	-	*	*
13 & 23	1-2	*	-	-	*	0.5	0.5	-	*	*
	3	*	*	*	*	0.4	0.5	-	*	*
	4	*	-	-	*	0.1	0.1	-	*	*
	5	-	-	-	-	*	*	-	*	*
	6	-	-	-	-	-	*	-	-	-
	7	-	-	-	-	-	-	-	-	-
Total		*	*	*	*	1.0	1.1	*	*	*
33	1-2	-	*	-	*	0.2	0.3	-	*	*
	3	*	*	*	*	0.4	0.8	0.1	*	*
	4	*	*	*	*	0.2	0.3	*	*	*
	5	*	*	-	*	*	*	-	*	*
	6	-	-	-	-	*	*	-	*	*
	7	-	-	-	-	-	*	-	-	-
Total		*	*	*	*	0.8	1.4	0.1	*	*
43	1-2	*	-	-	*	*	*	-	*	*
	3	*	*	*	*	0.1	0.2	-	*	*
	4	*	*	*	*	*	0.2	-	*	*
	5	*	*	*	*	*	0.1	-	*	*
	6	*	-	*	*	*	*	-	*	*
	7	-	-	-	-	*	*	-	*	*
Total		*	*	*	*	0.1	0.6	-	*	*
53	1-2	-	-	-	-	*	*	-	*	*
	3	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*
	5	*	-	-	*	*	*	-	*	*
	6	*	-	-	*	-	*	-	*	*
	7	*	-	-	*	-	*	-	*	*
Total		*	*	*	*	*	*	*	*	*
63	1-2	-	-	-	-	-	-	-	-	-
	3	*	-	-	*	-	*	-	*	*
	4	*	-	-	*	-	*	-	*	*
	5	*	-	-	*	-	*	-	*	*
	6	*	-	-	*	-	*	-	*	*
	7	-	-	-	-	-	*	-	*	*
Total		*	*	*	*	-	*	*	*	*
24 - 54	1-7	*	*	*	*	0.1	0.1	*	*	*
25 - 35	1-7	-	-	-	-	-	*	-	*	*
81 - 85 1/	1-7	*	*	-	*	*	*	-	*	*
All Colors	8 2/	*	*	*	*	*	*	-	*	*
STAPLE										
28 & shorter		-	-	-	-	*	*	-	-	-
29		*	-	-	*	0.1	0.2	-	*	*
30		*	0.1	*	*	0.9	1.1	*	0.1	0.1
31		0.3	1.8	*	0.5	5.0	5.1	0.1	0.7	0.7
32		2.3	11.3	1.0	3.8	15.2	13.4	2.5	4.9	4.9
33		12.9	28.1	7.8	15.3	26.2	24.4	19.7	20.9	20.9
34		32.4	33.6	25.9	32.1	24.0	30.3	41.8	40.3	40.4
35		33.4	19.2	37.4	31.1	15.8	17.6	28.7	25.7	25.8
36		15.8	5.0	21.9	14.3	8.7	5.5	6.7	6.3	6.3
37		2.9	0.8	5.8	2.7	3.6	2.1	0.4	1.0	1.0
38 & longer		*	0.1	0.1	0.1	0.4	0.3	*	*	*
All Staples		99.9	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple		34.6	33.8	34.9	34.4	33.7	33.6	34.2	34.1	34.1
Total Classed		1,639,617	404,287	177,971	2,221,875	318,315	2,232,590	40,228	2,151,184	2,191,412

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 25. — Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2001 crop.

MEMPHIS							PHOENIX				
Color	Leaf	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
11 & 21	1-2	0.7	0.4	2.1	3.5	1.6	57.1	50.1	71.2	80.3	58.0
	3	1.7	0.9	3.8	6.8	3.3	10.3	6.1	16.3	5.9	9.9
	4	0.1	0.1	0.2	0.4	0.2	0.5	0.3	1.4	0.1	0.5
	5	*	-	*	*	*	*	-	*	-	*
	6	-	-	-	-	-	*	-	-	-	*
	7	-	-	-	-	-	*	-	-	-	*
	Total	2.5	1.4	6.1	10.7	5.1	67.9	56.4	80.9	85.2	68.4
31	1-2	3.8	3.5	1.8	6.4	4.4	10.8	28.7	2.9	8.8	12.8
	3	25.3	20.4	25.4	39.4	28.6	8.3	7.5	3.3	2.6	7.6
	4	8.7	4.7	8.7	6.1	7.0	1.8	1.3	1.5	0.2	1.6
	5	0.4	0.1	0.3	0.2	0.3	0.2	0.1	0.1	*	0.2
	6	*	*	*	*	*	*	-	-	-	*
	7	-	-	*	*	*	*	-	-	-	*
	Total	38.2	28.7	36.2	52.1	40.3	21.0	37.6	7.8	11.6	22.2
41	1-2	0.7	1.6	0.2	0.6	0.8	0.9	2.5	0.1	0.7	1.1
	3	18.9	30.2	17.5	12.4	19.3	1.6	1.3	0.2	0.8	1.4
	4	16.0	14.9	18.5	5.1	12.5	1.1	0.6	0.2	0.2	0.9
	5	1.4	0.6	1.8	0.3	0.9	0.5	0.1	0.1	*	0.4
	6	*	*	0.1	*	*	0.1	*	*	-	0.1
	7	*	*	*	*	*	*	-	-	-	*
	Total	37.1	47.3	38.1	18.3	33.5	4.3	4.5	0.7	1.7	4.0
51	1-2	*	0.2	*	*	0.1	*	0.1	-	*	*
	3	2.7	6.1	0.4	0.5	2.6	*	*	*	*	*
	4	2.6	3.7	0.8	0.3	2.0	0.1	*	-	*	*
	5	0.3	0.1	0.3	0.1	0.2	0.1	-	*	-	0.1
	6	*	*	*	*	*	*	-	*	-	*
	7	*	-	*	*	*	*	-	-	-	*
	Total	5.6	10.0	1.6	0.9	4.8	0.3	0.1	*	0.1	0.2
61	1-2	*	*	*	*	*	*	*	-	-	*
	3	*	*	*	*	*	*	-	-	-	*
	4	*	*	*	*	*	*	-	-	-	*
	5	*	*	*	*	*	*	-	-	-	*
	6	*	*	*	*	*	*	-	-	-	*
	7	-	-	*	*	*	*	-	-	-	*
	Total	*	0.1	*	*	*	*	*	-	-	*
71	1-2	-	-	-	-	-	-	*	-	-	*
	3	*	-	-	-	*	-	-	-	-	-
	4	*	*	-	-	*	-	-	-	-	-
	5	*	-	-	-	*	-	-	-	-	-
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
	Total	*	*	-	-	*	-	*	-	-	*
12 & 22	1-2	*	*	*	0.3	0.1	1.7	0.2	0.6	0.1	1.3
	3	0.1	0.1	0.2	0.6	0.2	1.2	0.3	0.9	0.1	1.0
	4	*	*	*	0.1	*	0.2	*	0.2	*	0.2
	5	*	*	*	*	*	*	-	*	*	*
	6	-	-	-	-	-	-	-	-	-	*
	7	-	-	-	-	-	-	-	-	-	-
	Total	0.1	0.1	0.2	0.9	0.4	3.1	0.5	1.7	0.2	2.5
32	1-2	0.1	0.1	0.1	1.0	0.4	0.2	0.1	0.1	*	0.2
	3	1.5	1.3	1.9	6.6	3.1	0.7	0.3	0.3	0.1	0.6
	4	1.0	0.5	1.3	1.3	1.0	0.8	0.1	0.3	0.1	0.6
	5	0.1	*	0.1	0.1	0.1	0.1	*	*	*	0.1
	6	*	*	*	*	*	*	-	-	-	*
	7	-	-	-	*	*	*	-	-	-	*
	Total	2.7	1.8	3.4	8.9	4.5	1.8	0.5	0.6	0.2	1.5
42	1-2	*	0.1	0.1	0.2	0.1	*	*	*	*	*
	3	3.6	4.5	5.2	4.0	4.0	0.2	0.1	*	*	0.1
	4	6.1	2.9	6.0	2.1	4.1	0.5	*	*	-	0.3
	5	0.5	0.1	0.8	0.2	0.3	0.3	*	*	-	0.2
	6	*	*	0.1	*	*	0.1	*	-	-	0.1
	7	*	-	-	*	*	*	-	-	-	*
	Total	10.2	7.6	12.0	6.5	8.6	1.1	0.1	*	*	0.8
52	1-2	*	0.1	*	*	*	*	*	-	-	*
	3	0.6	1.1	0.3	0.1	0.6	*	*	-	-	*
	4	1.3	0.8	0.5	0.2	0.8	*	*	*	-	*
	5	0.2	*	0.2	0.1	0.1	*	-	*	-	*
	6	*	*	*	*	*	*	-	-	-	*
	7	*	*	*	*	*	*	-	-	-	*
	Total	2.2	2.0	1.1	0.4	1.5	0.1	*	*	-	0.1

Table 25. - Continued.

MEMPHIS							PHOENIX				
Color	Leaf	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total 1/	Arizona	California	New Mexico	Texas	Classing Office Total
62	1-2	-	*	-	*	*	*	-	-	-	*
	3	*	*	*	*	*	*	-	-	-	*
	4	*	*	*	*	*	*	-	-	-	*
	5	*	*	-	*	*	*	-	-	-	*
	6	*	*	-	*	*	*	-	-	-	*
	7	*	-	-	-	*	*	-	-	-	*
Total		*	*	*	*	*	*	*	*	*	*
13 & 23	1-2	*	*	*	*	*	*	*	0.1	*	*
	3	*	*	*	*	*	*	*	*	*	*
	4	*	*	*	*	*	*	*	*	*	*
	5	*	-	-	-	*	*	-	-	-	*
	6	-	-	-	-	-	-	-	-	-	-
	7	-	-	-	-	-	-	-	-	-	-
Total		*	*	*	*	*	0.1	*	0.1	*	0.1
33	1-2	*	*	*	0.1	*	*	*	*	*	*
	3	0.2	0.1	0.2	0.4	0.2	0.1	*	*	*	*
	4	0.1	*	0.1	0.1	0.1	0.1	*	*	*	0.1
	5	*	*	*	*	*	*	-	*	-	*
	6	-	-	-	*	*	*	-	*	-	*
	7	-	-	-	-	-	*	-	-	-	*
Total		0.2	0.1	0.3	0.5	0.3	0.1	0.1	0.1	*	0.1
43	1-2	*	*	*	*	*	*	*	-	-	*
	3	0.3	0.4	0.4	0.4	0.4	*	*	-	-	*
	4	0.3	0.2	0.3	0.2	0.2	0.1	*	-	*	*
	5	*	*	*	*	*	*	-	-	-	*
	6	*	*	*	*	*	*	-	-	-	*
	7	*	-	-	*	*	*	-	-	-	*
Total		0.6	0.7	0.7	0.5	0.6	0.1	*	*	*	0.1
53	1-2	*	*	*	*	*	*	*	-	-	*
	3	0.1	0.1	0.1	*	0.1	*	*	-	-	*
	4	0.1	0.1	0.1	*	0.1	*	*	-	-	*
	5	*	*	*	*	*	*	-	-	-	*
	6	*	*	-	*	*	*	-	-	-	*
	7	*	-	-	-	*	*	-	-	-	*
Total		0.3	0.1	0.1	0.1	0.2	*	*	-	*	*
63	1-2	-	-	-	-	-	-	-	-	-	-
	3	*	*	*	*	*	*	*	-	-	*
	4	*	*	*	*	*	*	*	-	-	*
	5	*	-	*	*	*	*	-	-	-	*
	6	*	-	*	*	*	*	-	-	-	*
	7	-	-	-	-	-	*	*	-	-	*
Total		*	*	*	*	*	*	*	*	*	*
24 - 54	1-7	0.1	0.1	0.1	0.1	0.1	*	*	*	*	*
25 - 35	1-7	-	-	-	-	-	*	*	*	*	*
81 - 85 1/	1-7	*	*	*	*	*	*	*	*	*	*
All Colors	8 2/	*	*	*	*	*	*	*	*	*	*
STAPLE											
28 & shorter		-	-	-	-	-	-	-	-	-	-
29		-	-	-	-	-	-	-	-	-	-
30		-	-	-	-	-	*	*	*	*	*
31		*	*	0.2	0.4	0.1	0.1	0.1	*	*	0.1
32		0.8	0.1	3.4	7.1	2.8	0.9	0.8	0.4	0.1	0.8
33		9.5	2.0	16.2	29.3	14.5	4.7	3.6	3.4	1.8	4.4
34		28.0	13.3	34.4	36.6	27.9	16.6	14.1	12.2	7.9	15.6
35		33.8	36.5	28.4	18.7	29.3	32.2	37.0	15.4	30.8	31.7
36		22.6	38.8	14.2	6.8	20.6	30.6	34.7	19.5	44.6	31.1
37		5.3	9.2	3.1	1.2	4.7	13.9	9.4	26.4	13.9	14.0
38 & longer		*	0.1	*	*	*	1.0	0.3	22.8	0.9	2.4
All Staples		100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
Average staple		34.8	35.4	34.4	33.9	34.6	35.3	35.3	36.3	35.6	35.4
Total Classed		1,192,686	673,837	216,780	950,220	3,033,523	642,712	128,527	57,911	39,516	868,666

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 26. — Percentage distribution of color, leaf and staple for upland cotton classed, by classing office, 2001 crop.

RAYVILLE					VISALIA		
Color	Leaf	Arkansas	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
11 & 21	1-2	*	0.1	0.1	0.1	47.7	15.3
	3	0.6	0.2	0.3	0.2	30.5	9.9
	4	-	*	*	*	0.7	0.7
	5	-	*	-	*	*	*
	6	-	-	-	-	*	*
	7	-	-	-	-	*	*
	Total	—	0.7	0.3	0.4	0.3	78.9
31	1-2	3.6	1.4	1.4	1.4	3.4	3.1
	3	26.8	14.4	18.0	14.7	8.6	24.2
	4	0.8	1.3	2.3	1.3	1.5	7.0
	5	-	*	*	*	0.1	0.3
	6	-	-	-	-	*	*
	7	-	-	-	-	*	*
	Total	—	31.3	17.0	21.6	17.4	13.6
41	1-2	1.5	0.7	0.6	0.7	0.5	0.5
	3	27.1	32.1	35.9	32.3	1.4	12.1
	4	2.6	12.2	13.7	12.2	0.5	7.6
	5	-	0.3	0.4	0.3	0.1	0.6
	6	-	*	*	*	*	0.1
	7	-	*	-	*	*	*
	Total	—	31.2	45.3	50.6	45.6	2.7
51	1-2	-	*	*	*	0.1	0.1
	3	0.9	1.6	0.7	1.6	0.3	1.3
	4	0.2	2.2	1.0	2.1	0.1	0.9
	5	-	0.2	0.2	0.2	*	0.1
	6	-	*	*	*	*	*
	7	-	*	-	*	*	*
	Total	—	1.0	4.1	1.9	3.9	0.6
61	1-2	-	-	-	-	*	*
	3	-	*	*	*	*	*
	4	-	*	-	*	*	*
	5	-	*	-	*	*	*
	6	-	*	-	*	*	*
	7	-	-	-	-	*	*
	Total	—	-	*	*	*	*
71	1-2	-	-	-	-	*	*
	3	-	-	-	-	*	*
	4	-	-	-	-	*	*
	5	-	-	-	-	*	*
	6	-	-	-	-	*	*
	7	-	-	-	-	-	*
	Total	—	-	-	-	-	*
12 & 22	1-2	-	*	*	*	0.7	1.0
	3	0.1	*	*	*	0.8	0.9
	4	-	*	*	*	*	0.1
	5	-	-	-	-	*	*
	6	-	-	-	-	*	*
	7	-	-	-	-	-	-
	Total	—	0.1	*	*	*	1.5
32	1-2	0.4	0.1	0.2	0.1	0.3	0.3
	3	4.8	2.3	2.5	2.3	0.7	2.2
	4	0.3	0.5	0.3	0.5	0.2	0.9
	5	-	*	*	*	*	0.1
	6	-	-	-	-	*	*
	7	-	-	-	-	*	*
	Total	—	5.5	2.9	2.9	2.9	1.2
42	1-2	0.7	0.2	0.8	0.2	0.1	0.1
	3	16.7	12.1	13.9	12.3	0.3	3.2
	4	3.4	7.5	3.2	7.2	0.1	3.1
	5	0.1	0.3	*	0.3	*	0.3
	6	-	*	-	*	*	*
	7	-	*	-	*	*	*
	Total	—	20.9	20.1	17.9	19.9	0.6
52	1-2	*	*	*	*	*	*
	3	1.1	2.2	1.5	2.2	0.1	0.6
	4	0.4	3.4	0.8	3.2	*	0.6
	5	-	0.3	*	0.3	*	0.1
	6	-	*	*	*	*	*
	7	-	*	-	*	*	*
	Total	—	1.5	6.0	2.3	5.7	0.1

Table 26. — Continued.

RAYVILLE					VISALIA	
Color	Leaf	Arkansas	Louisiana	Mississippi	Classing Office Total 1/	UNITED STATES
62	1-2	-	-	-	-	-
	3	-	*	-	*	*
	4	-	*	-	*	*
	5	-	*	-	*	*
	6	-	*	-	*	*
	7	-	*	-	*	*
	Total	-	0.1	-	0.1	0.1
13 & 23	1-2	-	*	-	*	0.1
	3	*	*	-	*	0.1
	4	-	-	-	-	*
	5	-	-	-	-	*
	6	-	-	-	-	*
	7	-	-	-	-	-
	Total	*	*	-	*	0.2
33	1-2	*	*	*	*	0.1
	3	1.0	0.1	0.2	0.1	0.3
	4	0.1	*	*	*	0.1
	5	-	*	-	*	*
	6	-	-	-	-	*
	7	-	-	-	-	*
	Total	1.1	0.2	0.2	0.2	0.5
43	1-2	0.1	*	0.1	*	*
	3	3.6	1.3	1.1	1.3	0.4
	4	0.6	0.8	0.2	0.8	0.3
	5	0.1	*	*	*	*
	6	-	*	-	*	*
	7	-	*	-	*	*
	Total	4.4	2.2	1.4	2.2	0.8
53	1-2	*	*	*	*	*
	3	1.0	0.6	0.4	0.6	0.2
	4	0.2	0.7	0.2	0.7	0.1
	5	-	0.1	*	0.1	*
	6	-	*	-	*	*
	7	-	*	-	*	*
	Total	1.2	1.4	0.6	1.4	0.4
63	1-2	-	*	-	*	*
	3	*	*	*	*	0.1
	4	-	0.1	*	*	*
	5	-	*	-	*	*
	6	-	*	-	*	*
	7	-	-	-	-	*
	Total	*	0.1	*	0.1	0.1
24 - 54	1-7	1.1	0.2	0.1	0.2	0.2
25 - 35	1-7	-	*	-	*	*
81 - 85 1/	1-7	0.1	*	*	*	0.1
All Colors	8 2/	-	*	-	*	*
STAPLE		-	-	-	-	*
28 & shorter		-	-	-	-	*
29		-	*	-	*	0.3
30		-	*	-	*	1.3
31		0.1	0.1	0.3	0.1	5.1
32		1.3	4.5	7.5	4.7	16.2
33		14.3	21.4	29.7	21.9	29.4
34		37.5	37.7	38.3	37.7	26.0
35		34.5	26.6	19.6	26.2	14.4
36		9.9	7.7	4.4	7.5	5.8
37		2.3	1.5	0.2	1.4	1.4
38 & longer		-	0.4	*	0.4	1.4
All Staples		100.0	100.0	100.0	100.0	1.4
Average staple		34.4	34.2	33.8	34.2	34.5
Total Classed		7,591	1,044,667	74,035	1,126,293	19,039,075

1/ Below Grade Color. 2/ Below Grade Leaf. * Less than 0.05 percent.

Table 27. — Percentage distribution of mike and strength for upland cotton classed, by classing office, 2001 crop.

Mike and Fiber Strength	ABILENE				BIRMINGHAM			CORPUS CHRISTI	DUMAS		
	Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total
MIKE											
24 & below	-	0.1	*	*	*	*	*	*	*	-	*
25	-	0.2	*	0.1	*	*	*	*	*	-	*
26	-	0.2	*	0.1	*	0.1	*	*	*	*	*
27	*	0.3	*	0.1	0.1	0.1	0.1	*	*	*	*
28	0.1	0.4	*	0.1	0.1	0.2	0.1	*	*	*	*
29	0.4	0.4	*	0.1	0.2	0.3	0.2	*	*	*	*
30	0.4	0.5	0.1	0.2	0.3	0.5	0.3	0.1	*	*	*
31	0.9	0.6	0.1	0.3	0.4	0.7	0.5	0.1	*	*	*
32	1.2	0.7	0.2	0.3	0.6	1.1	0.7	0.2	*	0.1	0.1
33	1.4	0.8	0.3	0.4	0.9	1.5	0.9	0.4	0.1	0.1	0.1
34	1.5	1.1	0.4	0.6	1.2	1.9	1.3	0.8	0.1	0.1	0.1
35	2.2	1.4	0.6	0.8	1.7	2.2	1.7	1.5	0.2	0.2	0.2
36	2.2	1.6	0.9	1.1	2.3	2.4	2.3	2.1	0.2	0.2	0.2
37	2.7	2.0	1.2	1.5	2.9	2.8	2.9	3.1	0.4	0.3	0.3
38	3.9	2.3	1.7	1.9	3.6	3.0	3.5	4.2	0.6	0.4	0.5
39	3.7	3.1	2.2	2.5	4.5	3.6	4.4	5.4	1.0	0.6	0.7
40	4.6	3.6	2.9	3.1	5.4	4.6	5.3	6.3	1.7	1.0	1.1
41	4.8	4.5	3.4	3.7	6.3	5.5	6.3	7.3	2.6	1.4	1.7
42	4.7	5.3	4.2	4.5	7.1	6.4	7.0	8.0	3.9	2.2	2.6
43	5.4	6.3	5.2	5.4	7.7	7.6	7.7	8.4	5.7	3.2	3.8
44	5.2	7.5	6.1	6.4	8.3	8.8	8.4	8.3	7.8	4.4	5.1
45	5.9	8.3	7.3	7.5	8.7	9.6	8.8	8.2	9.8	5.9	6.7
46	7.1	9.0	8.3	8.4	8.4	9.2	8.5	7.8	11.4	7.3	8.2
47	5.9	9.2	9.0	8.9	7.7	8.1	7.7	7.2	11.6	8.6	9.2
48	6.0	8.5	9.3	9.0	6.8	7.0	6.8	6.0	11.0	9.6	9.9
49	6.4	7.1	9.2	8.6	5.4	5.7	5.4	4.7	9.6	10.2	10.1
50	5.8	5.6	8.5	7.7	3.8	3.6	3.8	3.4	7.6	10.5	9.9
51	6.1	4.0	7.2	6.4	2.5	2.2	2.5	2.5	5.8	9.9	9.0
52	4.3	2.7	5.6	4.9	1.6	1.0	1.5	1.9	4.1	8.7	7.7
53	2.5	1.5	3.5	3.0	0.9	0.3	0.8	1.1	2.7	6.9	5.9
54	1.9	0.8	1.6	1.4	0.5	0.1	0.4	0.5	1.4	4.6	3.9
55	1.3	0.4	0.6	0.5	0.1	*	0.1	0.3	0.4	2.6	2.1
56	0.6	0.1	0.2	0.2	0.1	-	0.1	0.1	0.2	1.0	0.8
57	0.5	*	0.1	0.1	*	*	*	0.1	*	*	*
58	0.3	*	*	*	-	-	-	*	*	*	*
59	*	*	*	*	-	-	-	*	*	*	*
60 & above	-	-	*	*	-	-	-	*	-	-	-
Average mike	45	45	46	46	44	43	44	44	47	49	48
Fiber Strength 1/ 17 & below	-	-	-	-	-	-	-	*	-	-	-
18	-	-	*	*	-	-	-	*	-	-	-
19	-	*	*	*	*	-	*	*	-	-	-
20	-	*	0.1	0.1	*	*	*	0.1	-	*	*
21	*	*	0.5	0.4	*	*	*	0.4	*	*	*
22	-	*	1.7	1.2	0.1	0.1	0.1	1.0	*	*	*
23	0.1	0.2	3.8	2.8	0.8	1.0	0.8	1.9	0.3	0.4	0.4
24	0.7	0.6	6.2	4.7	3.6	3.7	3.6	2.8	1.7	2.6	2.4
25	3.2	2.4	7.2	6.0	10.3	8.4	10.1	4.7	5.9	8.8	8.1
26	6.2	7.5	8.0	7.8	19.2	14.1	18.6	9.4	14.9	19.9	18.8
27	11.0	14.3	10.8	11.6	23.0	20.9	22.8	13.1	25.4	27.3	26.9
28	14.2	20.4	15.9	16.9	18.8	23.7	19.3	12.7	25.9	22.9	23.6
29	19.4	20.0	18.5	18.9	12.2	17.3	12.7	11.1	16.3	12.0	13.0
30	21.6	14.3	14.1	14.4	7.0	7.7	7.1	11.0	7.0	4.2	4.9
31	15.5	8.8	7.8	8.2	3.6	2.6	3.5	12.4	2.2	1.2	1.4
32	6.1	5.5	3.5	4.1	1.2	0.6	1.1	10.8	0.4	0.3	0.3
33	1.7	3.5	1.4	1.9	0.2	0.1	0.2	5.9	0.1	0.2	0.2
34	0.2	1.8	0.4	0.7	0.1	*	0.1	2.0	*	0.1	0.1
35	0.1	0.6	0.1	0.2	*	*	*	0.4	*	*	*
36 & above	-	0.2	*	0.1	*	-	*	0.1	*	*	*
Total	29.1	28.9	27.9	28.2	27.3	27.5	27.3	28.8	27.6	27.2	27.3

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 28. — Percentage distribution of mike and strength for upland cotton classed, by classing office, 2001 crop.

	FLORENCE				LAMESA LUBBOCK		MACON		
Mike and Fiber Strength	North Carolina	South Carolina	Virginia	Classing Office Total	Texas	Texas	Florida	Georgia	Classing Office Total
MIKE									
24 & below	*	*	*	*	*	*	*	*	*
25	*	*	*	*	*	*	*	*	*
26	*	*	*	*	*	0.1	*	*	*
27	*	*	*	*	0.1	0.2	*	*	*
28	*	*	*	*	0.2	0.4	*	*	*
29	0.1	0.1	*	0.1	0.2	0.6	0.1	0.1	0.1
30	0.1	0.1	0.1	0.1	0.2	0.8	0.1	0.1	0.1
31	0.1	0.1	0.2	0.1	0.3	1.0	0.1	0.2	0.2
32	0.2	0.2	0.3	0.2	0.5	1.2	0.3	0.3	0.3
33	0.4	0.3	0.5	0.4	0.8	1.5	0.4	0.3	0.3
34	0.6	0.4	0.7	0.5	1.1	1.9	0.8	0.5	0.5
35	1.0	0.7	1.0	0.9	1.4	2.3	1.0	0.8	0.8
36	1.4	0.9	1.3	1.3	1.8	2.6	1.7	1.1	1.1
37	2.0	1.3	1.8	1.9	2.1	2.9	2.8	1.6	1.7
38	2.9	1.9	2.6	2.7	2.5	3.3	3.7	2.4	2.4
39	3.9	2.7	3.4	3.6	3.1	3.6	5.1	3.4	3.4
40	5.1	3.8	4.3	4.8	3.7	4.0	7.2	4.7	4.7
41	6.4	5.1	5.5	6.1	4.3	4.4	9.1	6.1	6.1
42	7.8	6.3	6.9	7.4	5.0	4.7	10.9	7.7	7.8
43	9.0	7.4	8.1	8.6	6.1	5.1	11.5	9.5	9.5
44	9.7	8.7	9.1	9.5	7.1	5.6	10.4	10.9	10.8
45	9.9	9.7	9.6	9.8	7.9	6.1	9.5	11.2	11.2
46	9.2	9.9	8.9	9.3	8.4	6.7	7.3	10.5	10.4
47	8.1	9.7	7.7	8.4	9.1	7.2	6.2	8.9	8.9
48	6.7	8.8	6.1	7.0	9.4	7.4	5.1	6.9	6.9
49	5.2	7.2	5.1	5.6	8.2	7.2	3.1	5.0	4.9
50	3.7	5.6	4.1	4.1	6.3	6.5	1.7	3.3	3.3
51	2.6	4.0	3.5	2.9	4.4	5.3	0.9	2.1	2.1
52	1.6	2.6	3.2	1.9	2.8	3.7	0.6	1.2	1.2
53	1.0	1.4	2.5	1.2	1.6	2.2	0.2	0.7	0.7
54	0.6	0.8	1.7	0.7	0.8	1.1	0.1	0.3	0.3
55	0.3	0.3	1.0	0.3	0.4	0.4	*	0.1	0.1
56	0.2	0.2	0.6	0.2	0.2	0.1	*	0.1	0.1
57	0.1	0.1	0.1	0.1	0.1	*	*	*	*
58	*	*	0.1	*	*	*	-	*	*
59	*	*	-	*	*	*	-	*	*
60 & above	*	-	-	*	-	-	-	*	*
Average mike	44	45	45	45	45	44	43	44	44
Fiber Strength 1/									
17 & below	-	-	-	-	-	-	-	-	-
18	-	-	-	-	*	*	-	-	-
19	-	-	-	-	*	*	*	*	*
20	-	-	-	-	*	*	*	*	*
21	-	-	-	-	*	*	*	*	*
22	*	*	*	*	0.1	0.1	0.3	0.1	0.1
23	0.2	0.1	0.1	0.1	0.2	0.2	1.6	0.7	0.7
24	0.8	0.5	0.7	0.8	0.8	0.7	4.9	2.4	2.4
25	5.2	3.1	4.1	4.7	2.4	2.1	10.5	6.5	6.5
26	15.5	11.2	12.5	14.5	7.0	5.9	15.8	12.8	12.8
27	23.9	20.5	21.6	23.1	16.0	14.2	19.1	18.9	18.9
28	23.1	25.0	24.0	23.5	23.3	25.0	19.1	21.0	21.0
29	15.4	20.0	17.6	16.4	22.8	26.9	14.3	17.1	17.0
30	8.3	11.3	9.5	8.9	15.1	16.7	8.3	11.0	11.0
31	4.1	5.3	4.3	4.3	7.5	6.1	3.8	5.7	5.7
32	2.1	2.0	2.3	2.1	3.1	1.6	1.5	2.5	2.4
33	1.0	0.7	1.5	1.0	1.1	0.4	0.5	0.9	0.9
34	0.4	0.2	1.0	0.4	0.3	0.1	0.2	0.3	0.3
35	0.1	*	0.4	0.1	0.1	*	*	0.1	0.1
36 & above	*	*	0.3	0.1	*	*	-	*	*
Total	27.9	28.2	28.2	27.9	28.5	28.5	27.4	28.0	27.9

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 29. -- Percentage distribution of mike and strength for upland cotton classed, by classing office, 2001 crop.

Mike and Fiber Strength	MEMPHIS					PHOENIX				
	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
MIKE										
24 & below	*	*	*	*	*	*	*	0.1	*	*
25	*	*	*	*	*	*	*	0.1	*	*
26	*	*	*	*	*	*	0.1	0.2	0.1	*
27	*	0.1	*	*	*	0.1	0.2	0.2	0.2	0.1
28	*	0.1	*	0.1	0.1	0.1	0.2	0.2	0.1	0.1
29	0.1	0.1	*	0.1	0.1	0.1	0.2	0.3	0.2	0.1
30	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.5	0.2	0.2
31	0.1	0.1	0.1	0.2	0.1	0.2	0.3	0.8	0.4	0.3
32	0.2	0.3	0.3	0.3	0.2	0.3	0.3	1.0	0.4	0.3
33	0.3	0.3	0.3	0.3	0.3	0.4	0.3	1.5	0.3	0.5
34	0.3	0.3	0.4	0.3	0.3	0.5	0.3	1.9	0.3	0.5
35	0.6	0.6	0.5	0.5	0.6	0.6	0.5	3.0	0.4	0.8
36	0.9	0.8	0.7	0.6	0.8	0.8	0.5	4.1	0.4	1.0
37	1.2	1.2	0.9	0.7	1.0	1.1	0.4	5.2	0.4	1.2
38	1.5	1.7	1.2	0.8	1.3	1.4	0.5	6.6	0.9	1.6
39	2.0	2.3	1.6	1.0	1.7	1.8	0.5	7.9	1.8	2.1
40	2.6	3.2	2.3	1.3	2.3	2.5	0.7	8.8	4.3	2.7
41	3.5	4.1	2.9	1.6	3.0	3.0	0.8	8.8	5.1	3.1
42	4.3	5.1	3.6	2.1	3.8	3.9	1.5	8.7	7.9	4.0
43	5.3	6.3	4.3	2.8	4.7	4.9	3.3	8.2	13.4	5.3
44	6.3	7.4	5.1	3.6	5.6	6.1	5.1	7.2	14.6	6.4
45	7.1	8.1	6.4	4.6	6.5	7.3	6.3	5.6	14.4	7.4
46	7.7	8.5	8.0	5.6	7.3	8.4	8.8	5.0	12.9	8.5
47	8.3	8.5	9.2	6.8	7.9	9.4	11.3	4.0	9.1	9.3
48	8.4	8.1	9.7	8.1	8.3	9.9	13.0	3.5	6.0	9.8
49	8.5	7.1	9.4	9.2	8.5	9.3	12.9	2.7	3.5	9.1
50	8.0	6.2	8.6	10.0	8.3	8.1	11.6	1.9	1.7	7.9
51	7.3	5.3	7.6	10.2	7.8	7.1	9.2	1.1	0.7	6.7
52	6.1	4.5	6.5	9.6	6.9	5.1	5.5	0.6	0.2	4.6
53	4.4	3.5	4.6	8.2	5.4	3.5	3.1	0.4	*	3.1
54	2.7	2.6	2.9	6.0	3.7	2.1	1.7	0.1	*	1.8
55	1.4	1.7	1.6	3.4	2.1	1.1	0.5	0.1	*	0.9
56	0.6	1.0	0.9	1.4	1.0	0.5	0.2	*	*	0.4
57	0.2	0.5	0.3	0.4	0.3	0.1	*	*	*	0.1
58	*	0.1	*	*	*	*	*	-	-	*
59	-	-	-	-	-	*	-	-	-	*
60 & above	-	-	-	-	-	-	-	-	-	-
Average mike	47	46	47	49	47	47	48	41	44	46
Fiber Strength 1/ 17 & below										
18	-	-	-	-	-	-	-	-	-	-
19	*	*	*	*	*	-	-	-	-	-
20	*	*	*	*	*	*	*	*	*	*
21	*	*	*	*	*	*	*	*	*	*
22	*	*	0.1	*	*	0.2	0.1	0.3	0.1	0.2
23	0.1	0.1	0.3	0.2	0.1	0.7	0.3	1.3	0.3	0.7
24	0.3	0.3	1.6	0.8	0.5	2.4	1.4	3.4	1.1	2.3
25	1.1	1.2	5.5	3.0	2.1	6.5	5.3	5.3	4.3	6.1
26	5.4	5.0	13.7	10.2	7.4	12.9	11.3	8.2	9.0	12.2
27	18.4	14.9	23.5	24.9	20.0	19.4	14.4	10.8	15.1	17.9
28	30.9	26.7	25.4	31.9	29.9	22.1	15.5	13.3	22.1	20.5
29	25.2	28.1	16.7	19.5	23.4	18.7	17.7	14.4	28.2	18.7
30	12.4	16.3	7.2	6.6	11.1	10.6	18.8	14.4	14.9	12.2
31	4.0	5.3	2.5	1.7	3.5	4.3	9.7	12.3	3.7	5.6
32	1.2	1.4	1.2	0.5	1.0	1.5	3.8	9.2	0.8	2.3
33	0.5	0.4	0.9	0.3	0.4	0.5	1.3	4.8	0.2	0.9
34	0.3	0.1	0.7	0.1	0.2	0.2	0.3	1.8	*	0.3
35	0.1	0.1	0.5	0.1	0.1	*	*	0.5	*	0.1
36 & above	0.1	*	0.3	*	0.1	*	*	0.1	*	*
Total	28.4	28.6	27.8	27.8	28.2	27.8	28.5	28.9	28.2	28.0

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 30. — Percentage distribution of mike and strength for upland cotton classed, by classing office, 2001 crop.

	RAYVILLE				VISALIA	
Mike and Fiber Strength	Arkansas	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
MIKE						
24 & below	-	*	-	*	*	*
25	-	*	-	*	*	*
26	-	*	-	*	*	*
27	-	*	-	*	*	*
28	-	*	-	*	*	0.1
29	*	*	*	*	*	0.1
30	-	*	*	*	0.1	0.2
31	-	*	*	*	0.1	0.2
32	-	*	*	*	0.2	0.3
33	0.1	*	*	*	0.3	0.5
34	0.1	*	*	*	0.5	0.6
35	*	*	*	*	0.8	0.9
36	*	*	0.1	*	1.4	1.2
37	0.2	0.1	0.2	0.1	2.5	1.6
38	0.2	0.1	0.3	0.1	3.8	2.2
39	0.6	0.2	0.5	0.3	5.6	2.9
40	1.3	0.5	1.0	0.5	7.7	3.7
41	2.3	0.9	1.8	0.9	10.3	4.7
42	4.3	1.6	2.9	1.7	12.2	5.6
43	5.9	2.6	3.8	2.7	13.2	6.6
44	5.8	3.9	5.2	4.0	12.0	7.4
45	9.6	5.5	7.3	5.7	9.2	7.9
46	11.4	7.8	9.2	7.9	6.8	8.1
47	9.9	10.1	11.2	10.2	4.7	8.1
48	10.9	12.2	12.9	12.2	3.4	7.8
49	12.8	13.2	13.3	13.2	2.4	7.2
50	14.0	12.8	11.3	12.7	1.4	6.3
51	7.0	11.0	7.9	10.8	0.8	5.3
52	2.6	8.3	5.0	8.0	0.4	4.1
53	0.8	5.2	3.1	5.0	0.2	2.9
54	0.2	2.7	2.0	2.6	0.1	1.7
55	*	1.0	0.8	0.9	*	0.9
56	-	0.3	0.1	0.3	*	0.4
57	-	*	*	*	*	0.1
58	-	*	-	-	*	*
59	-	-	-	-	-	*
60 & above	-	-	-	-	-	*
Average mike	47	49	48	49	43	46
Fiber Strength 1/						
17 & below	-	-	-	-	-	*
18	-	-	-	-	-	*
19	-	-	-	-	-	*
20	-	*	-	*	-	*
21	-	*	*	*	*	*
22	-	*	0.1	*	*	0.2
23	0.1	0.6	1.0	0.6	0.1	0.5
24	0.8	3.1	5.3	3.2	0.2	1.7
25	4.6	9.0	14.0	9.3	0.6	5.0
26	22.9	18.0	23.5	18.4	1.5	11.3
27	29.7	24.3	26.4	24.4	2.8	18.6
28	23.5	22.0	18.6	21.8	3.9	21.4
29	12.3	13.7	7.9	13.3	4.2	17.0
30	4.5	5.9	2.3	5.7	6.6	10.0
31	0.8	2.1	0.5	2.0	14.1	5.5
32	0.6	0.8	0.2	0.8	22.8	3.8
33	0.1	0.4	0.1	0.4	21.9	2.7
34	0.1	0.2	*	0.1	13.4	1.4
35	-	*	*	*	5.4	0.5
36 & above	-	*	*	*	2.6	0.2
Total	27.4	27.4	26.7	27.3	31.9	28.3

1/ Fiber strength expressed in terms of 1/8" gage (grams per tex). * Less than 0.05 percent.

Table 31. — Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2001 crop

Mike Groupings, Uniformity and Trash	ABILENE				BIRMINGHAM			CORPUS CHRISTI	DUMAS		
	Kansas	Oklahoma	Texas	Classing Office Total	Alabama	Florida	Classing Office Total	Texas	Arkansas	Mississippi	Classing Office Total
MIKE											
24 & below	-	0.1	*	*	*	*	*	*	*	-	*
25 - 26	-	0.2	*	0.1	*	*	*	*	*	-	*
27 - 29	0.5	1.1	*	0.3	0.3	0.2	0.3	*	*	*	*
30 - 32	2.5	1.8	0.4	0.8	1.3	0.3	1.4	0.3	*	*	*
33 - 34	3.0	1.9	0.6	1.0	2.1	3.4	2.2	1.3	0.1	0.2	0.2
35 - 36	4.4	2.9	1.5	1.9	4.0	4.6	4.0	3.6	0.4	0.4	0.4
37 - 42	24.4	20.9	15.7	17.2	29.8	26.0	29.4	34.3	10.2	6.0	6.9
43 - 49	41.9	55.8	54.4	54.4	52.9	56.0	53.3	50.7	66.9	49.1	53.1
50 - 52	5.8	12.3	21.3	19.0	7.9	6.8	7.7	7.7	17.5	29.1	26.5
53 & above	2.5	2.4	3.5	4.5	1.3	#VALUE!	1.2	1.8	4.1	14.1	12.0
Average mike	45	45	46	46	44	43	44	44	47	49	48
Mike 35 - 49	70.7	79.6	71.6	73.4	86.7	86.5	86.7	88.6	77.5	55.5	60.4
Uniformity 1/											
72 & below	-	-	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-	-	-
74	-	-	*	*	-	-	-	*	-	-	-
75	-	*	*	*	-	-	-	*	-	-	-
76	-	*	0.1	0.1	-	-	-	*	-	-	-
77	0.1	0.3	0.8	0.7	0.1	0.1	0.1	0.2	*	*	*
78	0.9	1.2	4.3	3.5	0.8	0.9	0.8	1.4	0.4	0.2	0.2
79	7.9	5.0	13.5	11.3	4.9	6.3	5.1	5.9	3.1	1.7	2.0
80	28.9	17.0	27.7	25.2	17.2	24.8	18.0	18.2	14.2	9.8	10.8
81	40.7	34.0	32.5	33.1	31.7	40.9	32.7	34.0	33.7	30.9	31.5
82	18.6	30.5	17.0	20.2	30.3	22.7	29.5	28.5	32.9	40.8	1.1
83	2.7	10.8	3.8	5.4	13.1	4.1	12.2	10.3	13.4	14.6	14.3
84	0.2	1.2	0.3	0.5	1.8	0.2	1.7	1.4	2.2	2.0	2.1
85	*	*	*	*	*	*	*	*	0.1	0.1	0.1
86	-	-	-	-	-	-	-	-	-	-	-
87	-	-	-	-	-	-	-	-	-	-	-
88	-	-	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-	-
Average uniformity	78.8	80.6	80.1	80.2	81.0	81.4	81.1	81.2	81.6	81.3	81.4
Trash 2/											
00	-	*	*	*	-	-	-	*	-	-	-
01	1.4	32.1	10.6	15.4	2.2	0.6	2.0	7.3	0.8	1.4	1.3
02	12.5	29.7	22.5	23.9	16.7	11.9	16.2	29.9	9.0	13.3	12.3
03	22.2	15.8	22.5	20.9	25.4	27.9	25.7	26.8	19.6	24.1	23.1
04	19.0	9.2	17.1	15.3	22.3	27.9	22.9	15.9	23.1	23.3	23.3
05	14.1	5.2	11.2	9.9	15.0	17.3	15.2	9.0	19.2	16.6	17.2
06	9.6	3.0	6.7	5.9	8.7	8.2	8.6	5.0	12.7	9.8	10.5
07	5.9	1.8	3.9	3.4	4.6	3.5	4.5	2.7	7.2	5.3	5.7
08	4.0	1.1	2.3	2.0	2.4	1.5	2.3	1.4	3.8	2.8	3.0
09	3.0	0.7	1.3	1.2	1.2	0.6	1.2	0.8	2.1	1.5	1.7
10	1.9	0.4	0.8	0.7	0.6	0.2	0.6	0.5	1.1	0.8	0.9
11	1.6	0.3	0.5	0.5	0.3	0.1	0.3	0.3	0.6	0.5	0.5
12	1.1	0.2	0.3	0.3	0.2	*	0.2	0.2	0.4	0.3	0.3
13	0.9	0.1	0.2	0.2	0.1	*	0.1	0.1	0.2	0.1	0.1
14	0.6	0.1	0.1	0.1	*	*	*	0.1	*	*	*
15	0.5	0.1	0.1	0.1	*	*	*	0.1	*	*	*
16	0.3	*	*	*	*	*	*	*	*	*	*
17	0.2	*	*	*	*	*	*	*	*	*	*
18 & above	1.0	0.1	0.1	0.1	*	*	*	0.1	*	*	*
Average trash	0.63	0.29	0.33	0.33	0.35	0.37	0.35	0.27	0.36	0.34	0.35

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 32. — Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2001 crop

	FLORENCE				LAMESA	LUBBOCK	MACON		
Mike Groupings, Uniformity and Trash	North Carolina	South Carolina	Virginia	Classing Office Total	Texas	Texas	Florida	Georgia	Classing Office Total
24 & below	*	*	*	*	*	*	*	*	*
25 - 26	*	*	*	*	*	0.1	*	*	*
27 - 29	0.1	0.1	*	0.1	0.4	1.2	0.1	0.1	0.1
30 - 32	0.5	0.4	0.6	0.5	1.1	3.0	0.1	0.2	0.3
33 - 34	0.9	0.7	1.1	0.9	1.9	3.3	0.8	0.8	0.8
35 - 36	2.4	1.6	2.3	2.3	3.1	4.9	2.7	1.9	1.9
37 - 42	28.1	21.1	24.5	26.5	20.7	22.9	38.7	25.9	26.2
43 - 49	57.8	61.3	54.5	58.2	56.3	45.2	53.2	62.8	62.6
50 - 52	6.3	12.1	4.1	8.9	13.4	15.5	3.2	6.6	6.5
53 & above	1.0	1.4	2.5	1.2	1.6	2.2	0.3	1.0	1.0
Average mike	44	45	45	45	45	44	43	44	44
Mike 35 - 49	88.4	83.9	81.4	87.0	80.1	73.0	94.6	90.6	90.7
Uniformity 1/ 72 & below	-	-	-	-	-	-	-	-	-
73	-	-	-	-	-	-	-	-	-
74	-	-	-	-	*	*	-	-	*
75	*	*	-	*	*	*	*	*	*
76	*	*	-	*	0.2	*	*	*	*
77	*	0.1	*	*	1.6	0.1	*	0.1	0.1
78	0.3	1.2	0.1	0.4	8.2	0.8	0.6	1.1	1.1
79	2.4	7.4	1.0	3.2	23.6	5.2	4.3	7.0	7.0
80	11.4	22.5	6.3	13.0	35.5	19.6	18.9	23.6	23.5
81	31.0	36.0	22.6	31.2	24.1	36.9	37.2	37.1	37.1
82	36.8	25.0	38.3	34.8	6.2	28.9	29.3	24.1	24.2
83	15.9	7.1	25.8	15.1	0.5	7.8	8.9	6.4	6.4
84	2.2	0.7	5.7	2.2	*	0.7	0.8	0.6	0.6
85	*	*	0.3	0.1	-	*	*	*	*
86	-	-	-	-	-	*	-	*	*
87	-	-	-	-	-	*	-	-	-
88	-	-	-	-	-	-	-	-	-
89	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-
Average uniformity	81.1	81.1	81.3	81.1	80.1	79.9	81.7	81.1	81.1
Trash 2/ 00	-	-	-	-	0.1	*	-	*	*
01	0.5	1.6	0.2	0.7	28.4	28.4	1.6	2.3	2.3
02	8.0	14.9	6.3	9.1	34.3	34.8	22.0	19.9	19.9
03	21.0	25.3	20.4	21.7	19.0	17.9	33.3	30.6	30.7
04	24.8	23.7	25.8	24.7	9.2	8.9	23.0	23.7	23.7
05	19.5	16.3	20.3	19.0	4.5	4.5	11.5	13.1	13.0
06	12.2	9.1	12.9	11.7	2.2	2.4	5.3	6.0	6.0
07	6.6	4.5	6.9	6.3	1.1	1.3	2.1	2.5	2.5
08	3.4	2.2	3.5	3.2	0.5	0.7	0.7	1.0	1.0
09	1.8	1.1	1.8	1.6	0.3	0.4	0.3	0.5	0.5
10	0.9	0.6	0.9	0.9	0.1	0.2	0.1	0.2	0.2
11	0.5	0.3	0.5	0.5	0.1	0.1	0.1	0.1	0.1
12	0.3	0.2	0.2	0.3	*	0.1	*	*	*
13	0.2	0.1	0.1	0.2	*	*	*	*	*
14	0.1	0.1	0.1	0.1	*	*	*	*	*
15	*	*	*	*	*	*	-	*	*
16	*	*	*	*	*	*	-	*	*
17	*	*	*	*	*	*	-	*	*
18 & above	*	*	*	*	*	*	-	*	*
Average trash	0.50	0.40	0.54	0.39	0.38	0.46	0.43	0.42	0.42

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 33. — Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2001 crop

MEMPHIS

PHOENIX

Mike Groupings, Uniformity and Trash	Arkansas	Missouri	Mississippi	Tennessee	Classing Office Total	Arizona	California	New Mexico	Texas	Classing Office Total
24 & below	*	*	*	*	*	*	*	0.1	*	*
25 - 26	*	*	*	*	*	*	0.1	0.3	*	*
27 - 29	0.1	0.1	*	0.1	0.1	0.2	0.5	0.7	0.2	0.3
30 - 32	0.3	0.4	0.4	0.5	0.5	0.7	0.8	2.3	1.0	0.8
33 - 34	0.6	0.6	0.6	0.6	0.6	0.9	0.6	3.4	0.6	1.0
35 - 36	1.6	1.4	1.2	1.1	1.4	1.4	0.9	7.0	0.9	1.7
37 - 42	15.0	17.5	12.5	7.5	13.0	13.7	4.5	46.0	20.4	14.8
43 - 49	51.5	54.0	52.0	40.7	48.7	55.4	60.7	36.1	73.8	55.8
50 - 52	21.4	16.0	22.7	29.9	22.9	20.2	26.3	3.5	2.6	19.2
53 & above	8.5	6.1	7.5	14.2	9.1	7.4	5.5	0.5	*	6.3
Average mike	47	46	47	49	47	47	48	41	44	46
Mike 35 - 49	68.1	73.0	65.7	49.2	63.1	70.5	66.1	89.1	95.1	72.2
Uniformity 1/ 72 & below	-	-	-	-	-	*	-	-	-	*
73	-	-	-	-	-	*	-	-	-	*
74	-	-	-	*	*	*	*	*	-	*
75	*	-	-	-	*	*	*	*	*	*
76	*	*	*	*	*	0.1	*	*	*	0.1
77	*	*	*	*	*	0.4	0.2	0.2	0.4	0.4
78	0.1	0.1	0.1	0.1	0.1	2.3	1.3	1.4	1.4	2.0
79	0.7	0.6	1.4	1.2	0.9	10.3	7.4	8.0	5.3	9.5
80	5.1	4.2	8.4	7.4	5.8	30.8	37.1	23.1	44.3	31.8
81	23.6	20.1	28.0	28.7	24.7	37.7	45.8	31.9	40.7	38.7
82	47.1	45.9	40.5	43.8	45.3	15.7	7.9	25.6	6.9	14.8
83	20.6	25.6	18.9	17.0	20.5	2.6	0.2	8.5	1.0	2.6
84	2.7	3.4	2.6	1.6	2.5	0.2	*	1.1	*	0.2
85	0.1	0.1	0.1	0.1	0.1	*	-	0.1	*	*
86	-	-	-	-	-	*	-	-	-	*
87	-	-	-	-	-	*	-	-	-	*
88	-	-	-	-	-	*	-	-	-	*
89	-	-	-	-	-	-	-	-	-	-
90 & above	-	-	-	-	-	-	-	-	-	-
Average uniformity	81.6	81.7	80.8	80.9	81.3	80.9	80.8	81.5	80.6	80.9
Trash 2/ 00	*	-	-	-	*	*	*	0.3	*	0.1
01	1.4	1.6	1.3	3.4	2.0	30.0	38.6	39.1	42.0	32.4
02	13.1	14.9	11.9	24.7	17.0	43.1	43.0	33.2	46.8	42.6
03	24.3	28.7	23.0	31.5	27.5	14.9	11.5	13.8	9.0	14.1
04	24.6	26.8	24.0	21.0	23.9	5.0	3.2	6.6	1.6	4.7
05	17.4	16.1	17.4	10.7	15.0	2.4	1.4	3.4	0.4	2.2
06	9.9	7.3	10.3	4.8	7.8	1.4	0.9	1.7	0.1	1.3
07	4.9	2.9	5.4	2.1	3.6	0.9	0.6	0.8	0.1	0.8
08	2.3	1.1	2.9	0.9	1.6	0.6	0.3	0.4	*	0.5
09	1.1	0.4	1.7	0.5	0.8	0.4	0.2	0.3	*	0.4
10	0.5	0.2	0.9	0.2	0.4	0.3	0.1	0.1	*	0.3
11	0.3	0.1	0.6	0.1	0.2	0.2	0.1	0.1	-	0.2
12	0.1	*	0.3	0.1	0.1	0.2	*	0.1	-	0.1
13	0.1	*	0.2	*	*	0.1	*	*	-	0.1
14	*	*	0.1	*	*	0.1	*	*	-	0.1
15	*	*	*	*	*	0.1	*	-	-	*
16	*	*	*	*	*	*	*	*	-	*
17	*	*	*	*	*	*	*	-	-	*
18 & above	*	*	*	*	*	0.1	*	-	-	0.1
Average trash	0.37	0.36	0.40	0.35	0.36	0.27	0.19	0.35	0.21	0.26

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 34. — Percentage distribution of mike groupings, uniformity and trash for upland cotton classed, by classing office, 2001 crop

Mike Groupings, Uniformity and Trash	RAYVILLE				VISALIA	
	Arkansas	Louisiana	Mississippi	Classing Office Total	California	UNITED STATES
24 & below	-	*	-	*	-	*
25 - 26	-	*	-	*	*	*
27 - 29	-	*	-	*	*	0.2
30 - 32	-	*	*	*	0.3	0.7
33 - 34	0.1	*	*	*	0.7	1.1
35 - 36	*	*	0.1	*	2.3	2.1
37 - 42	9.0	3.3	6.7	3.6	42.0	20.7
43 - 49	66.2	55.4	62.9	56.0	51.6	53.1
50 - 52	23.6	32.1	24.2	31.6	2.6	15.7
53 & above	0.8	7.8	5.8	8.5	0.2	5.5
Average mike	47	49	48	49	43	46
Mike 35 - 49	75.2	58.7	69.7	59.5	95.9	75.9
Uniformity 1/ 72 & below	-	-	-	-	-	*
73	-	-	-	-	-	*
74	-	-	-	-	*	*
75	-	-	-	-	*	*
76	-	*	-	*	*	*
77	*	0.1	*	0.1	*	0.1
78	0.3	0.9	0.7	0.9	0.3	0.8
79	3.2	6.1	6.1	6.1	2.0	4.4
80	18.7	21.0	24.1	21.2	10.1	15.9
81	40.3	35.6	38.6	35.8	30.4	32.5
82	30.4	27.4	24.5	27.3	41.7	33.0
83	6.9	8.1	5.6	7.9	13.1	11.9
84	0.2	0.8	0.4	0.7	1.7	1.5
85	-	*	*	*	0.3	0.1
86	-	-	-	-	0.3	*
87	-	-	-	-	0.1	*
88	-	-	-	-	*	*
89	-	-	-	-	*	*
90 & above	-	-	-	-	-	-
Average uniformity	81.3	81.0	81.2	81.0	82.1	81.3
Trash 2/ 00	-	-	-	-	*	*
01	1.2	0.5	1.1	0.5	27.9	9.7
02	21.1	9.7	14.7	10.1	43.3	22.0
03	37.8	25.3	25.5	25.4	18.5	23.4
04	24.7	26.2	24.8	26.1	6.2	18.8
05	9.7	17.9	17.4	17.8	2.2	12.1
06	3.6	10.0	9.1	9.9	0.9	6.7
07	1.3	5.1	4.1	5.0	0.4	3.5
08	0.4	2.5	1.6	2.5	0.3	1.7
09	0.1	1.3	0.8	1.2	0.1	0.9
10	*	0.7	0.4	0.6	0.1	0.5
11	*	0.4	0.2	0.4	*	0.3
12	*	0.2	0.1	0.2	*	0.2
13	-	*	*	*	*	0.1
14	-	*	*	*	*	*
15	-	*	*	*	*	*
16	-	*	*	*	*	*
17	-	*	*	*	*	*
18 & above	-	-	-	-	-	-
Average trash	0.53	0.32	0.36	0.32	0.25	0.36

1/ A measure of the relative uniformity of the length of fibers; if all fibers were the same length, uniformity index would equal 100. 2/ A measure of the percent of the sample surface covered by trash particles as determined by a video scanner; 12 indicates that trash particles cover 1.2 percent of the sample surface. Trash particles include extraneous matter such as grass, bark, etc. * Less than 0.05 percent.

Table 35. — Percentage distribution of color, staple and uniformity for American Pima cotton classed, by states and United States, 2001 crop.

Quality Designation	Leaf	State								United States	
		Arizona		California		New Mexico		Texas			
01	1	5,948	42.2	197,791	32.7	4,979	38.7	12,477	38.0	221,195	33.3
	2	2,801	19.9	42,141	7.0	3,767	29.3	6,775	20.7	55,484	8.3
	3	22	0.2	368	0.1	30	0.2	25	0.1	445	0.1
	4	0	-	23	*	0	-	0	-	23	*
	5	0	-	0	-	0	-	1	*	1	*
	6	0	-	0	-	0	-	0	-	0	-
	7	0	-	0	-	0	-	0	-	0	-
Total -----		8,771	62.2	240,323	39.7	8,776	68.2	19,278	58.8	277,148	41.7
02	1	609	4.3	202,531	33.5	753	5.8	6,256	19.1	210,149	31.6
	2	4,079	28.9	109,313	18.1	2,777	21.6	6,484	19.8	122,653	18.4
	3	118	0.8	7,859	1.3	346	2.7	239	0.7	8,562	1.3
	4	1	*	366	0.1	2	*	1	*	370	0.1
	5	0	-	7	*	0	-	0	-	7	*
	6	0	-	0	-	0	-	0	-	0	-
	7	0	-	0	-	0	-	0	-	0	-
Total -----		4,807	34.1	320,076	52.4	3,878	30.1	12,980	39.5	341,741	51.3
03	1	5	*	5,453	0.9	1	*	73	0.2	5,532	0.8
	2	217	1.5	11,770	1.9	46	0.4	341	1.0	12,374	1.9
	3	100	0.7	5,957	1.0	131	1.0	98	0.3	6,286	0.9
	4	22	0.2	785	0.1	24	0.2	5	*	836	0.1
	5	10	0.1	71	*	0	-	0	-	81	*
	6	0	-	16	*	0	-	0	-	16	*
	7	0	-	1	*	0	-	0	-	1	*
Total -----		354	2.5	24,053	4.0	202	1.6	517	1.6	25,126	3.8
04	1	1	*	743	0.1	0	-	1	*	745	0.1
	2	8	0.1	4,430	0.7	3	*	14	*	4,455	0.7
	3	12	0.1	2,552	0.4	10	0.1	14	*	2,588	0.4
	4	9	0.1	1,050	0.2	5	*	0	-	1,064	0.2
	5	64	0.5	102	*	0	-	0	-	166	*
	6	10	0.1	6	*	0	-	0	-	16	*
	7	0	-	1	*	0	-	0	-	1	*
Total -----		104	0.7	8,884	1.5	18	0.1	29	*	9,035	1.3
05	1	0	-	216	*	0	-	0	-	216	*
	2	2	*	3,069	0.5	0	-	0	-	3,071	0.5
	3	1	*	3,353	0.6	0	-	0	-	3,354	0.5
	4	3	*	1,016	0.2	0	-	0	-	1,019	0.2
	5	27	0.2	355	0.1	0	-	0	-	382	0.1
	6	22	0.2	68	*	0	-	0	-	90	*
	7	0	-	15	*	0	-	0	-	15	*
Total -----		55	0.3	8,092	1.3	0	-	0	-	8,147	1.2
06	1	0	-	64	*	0	-	0	-	64	*
	2	0	-	1,010	0.2	0	-	0	-	1,010	0.2
	3	0	-	1,090	0.2	0	-	0	-	1,090	0.2
	4	0	-	435	0.1	0	-	0	-	435	0.1
	5	1	*	186	*	0	-	0	-	187	*
	6	8	0.1	214	*	0	-	0	-	222	*
	7	0	-	32	*	0	-	0	-	32	*
Total -----		9	0.1	3,031	0.4	0	-	0	-	3,040	0.4
07	1	0	-	11	*	0	-	0	-	11	*
	2	0	-	152	*	0	-	0	-	152	*
	3	0	-	151	*	0	-	0	-	151	*
	4	0	-	124	*	0	-	0	-	124	*
	5	0	-	84	*	0	-	0	-	84	*
	6	0	-	52	*	0	-	0	-	52	*
	7	0	-	28	*	0	-	0	-	28	*
Total -----		0	-	602	*	0	-	0	-	602	*
STAPLE											
40 & shorter		0	-	0	-	1	*	1	*	2	*
42		28	0.2	518	0.1	37	0.3	48	0.1	631	0.1
44		2,071	14.7	149,062	24.6	2,096	16.3	7,288	22.2	160,517	24.1
46		8,425	59.7	385,913	63.8	6,904	53.6	22,845	69.6	424,087	63.8
48 & longer		3,577	25.3	69,575	11.5	3,837	29.8	2,624	8.0	79,613	12.0
Average		46.2		45.7		46.3		45.7		46.0	
UNIFORMITY											
72 ■ below		0	-	0	-	0	-	0	-	0	-
73		0	-	0	-	0	-	0	-	0	-
74		0	-	0	-	0	-	0	-	0	-
75		0	-	0	-	0	-	0	-	0	-
76		0	-	0	-	0	-	0	-	0	-
77		0	-	0	-	0	-	0	-	0	-
78		0	-	0	-	0	-	0	-	0	-
79		0	-	30	*	0	-	0	-	30	*
80		5	*	262	*	14	0.1	5	*	286	*
81		29	0.2	2,040	0.3	106	0.8	16	*	2,191	0.3
82		140	1.0	11,124	1.8	401	3.1	154	0.5	11,819	1.8
83		700	5.0	46,349	7.7	1,421	11.0	1,685	5.1	50,155	7.5
84		2,679	19.0	130,158	21.5	3,564	27.7	7,743	23.6	144,144	21.7
85		4,920	34.9	208,566	34.5	4,496	34.9	18,549	56.5	236,531	35.6
86		3,914	27.8	144,657	23.9	2,276	17.7	4,251	13.0	155,098	23.3
87		1,449	10.3	49,647	8.2	542	4.2	362	1.1	52,000	7.8
88		254	1.8	10,817	1.8	52	0.4	38	0.1	11,161	1.7
89		11	0.1	1,378	0.2	3	*	3	*	1,395	0.2
90 ■ above		0	-	40	*	0	-	0	-	40	*
Average		85.2		85.0		84.6		84.8		84.9	
BALES CLASSED		14,101		605,068		12,875		32,806		664,850	

Table 36. -- Percentage distribution of grade, staple and mike for American Pima cotton classed, by states and United States, 2001 crop.

Grade, Staple and Mike	State				United States
	Arizona	California	New Mexico	Texas	
Mike groups					
24 & below	0 -	0 -	0 -	0 -	0 -
25 - 26	0 -	11 *	2 *	0 -	13 *
27 - 29	1 *	1,681 0.3	57 0.4	1 *	1,740 0.3
30 - 32	40 0.3	14,780 2.4	290 2.3	66 0.2	15,176 2.3
33 - 34	87 0.6	14,470 2.4	303 2.4	523 1.6	15,383 2.3
35 - 36	210 1.5	27,533 4.6	551 4.3	1,290 3.9	29,584 4.4
37 - 42	9,649 68.4	416,550 68.8	7,645 59.4	14,825 45.2	448,669 67.5
43 - 49	4,113 29.2	130,014 21.5	4,025 31.3	16,076 49.0	154,228 23.2
50 - 52	1 *	29 *	2 *	25 0.1	57 *
53 & above	0 -	0 -	0 -	0 -	0 -
Average mike	41	40	41	42	41
Mike readings					
24 & below	0 -	0 -	0 -	0 -	0 -
25	0 -	2 *	0 -	0 -	2 *
26	0 -	9 *	2 *	0 -	11 *
27	0 -	52 *	3 *	0 -	55 *
28	0 -	350 0.1	16 0.1	0 -	366 0.1
29	1 *	1,279 0.2	38 0.3	1 *	1,319 0.2
30	6 *	3,423 0.6	74 0.6	14 *	3,517 0.5
31	11 0.1	5,073 0.8	106 0.8	12 *	5,202 0.8
32	23 0.2	6,284 1.0	110 0.9	40 0.1	6,457 1.0
33	40 0.3	6,750 1.1	139 1.1	165 0.5	7,094 1.1
34	47 0.3	7,720 1.3	164 1.3	358 1.1	8,289 1.2
35	85 0.6	10,112 1.7	196 1.5	529 1.6	10,922 1.6
36	125 0.9	17,421 2.9	355 2.8	761 2.3	18,662 2.8
37	191 1.4	30,702 5.1	690 5.4	777 2.4	32,360 4.9
38	563 4.0	50,396 8.3	940 7.3	784 2.4	52,683 7.9
39	1,023 7.3	69,522 11.5	1189 9.2	1,489 4.5	73,223 11.0
40	2,085 14.8	87,277 14.4	1503 11.7	2,844 8.7	93,709 14.1
41	2,852 20.2	94,595 15.6	1648 12.8	4,263 13.0	103,358 15.5
42	2,935 20.8	84,058 13.9	1675 13.0	4,668 14.2	93,336 14.0
43	2,170 15.4	62,230 10.3	1540 12.0	4,665 14.2	70,605 10.6
44	1,221 8.7	37,671 6.2	1206 9.4	5,414 16.5	45,512 6.8
45	536 3.8	18,587 3.1	720 5.6	3,088 9.4	22,931 3.4
46	141 1.0	8,180 1.4	332 2.6	1,531 4.7	10,184 1.5
47	34 0.2	3,157 0.5	134 1.0	910 2.8	4,235 0.6
48	10 0.1	135 *	70 0.5	394 1.2	609 0.1
49	1 *	54 *	23 0.2	74 0.2	152 *
50	0 -	22 *	1 *	22 0.1	45 *
51	0 -	7 *	0 -	3 *	10 *
52	1 *	0 -	1 *	0 -	2 *
53	0 -	0 -	0 -	0 -	0 -
54	0 -	0 -	0 -	0 -	0 -
55	0 -	0 -	0 -	0 -	0 -
56	0 -	0 -	0 -	0 -	0 -
57	0 -	0 -	0 -	0 -	0 -
58	0 -	0 -	0 -	0 -	0 -
59	0 -	0 -	0 -	0 -	0 -
60 & above	0 -	0 -	0 -	0 -	0 -
Average mike	41	40	41	42	41
Strength					
17 & below	0 -	0 -	0 -	0 -	0 -
18	0 -	0 -	0 -	0 -	0 -
19	0 -	0 -	0 -	0 -	0 -
20	0 -	0 -	0 -	0 -	0 -
21	0 -	0 -	0 -	0 -	0 -
22	0 -	0 -	0 -	0 -	0 -
23	0 -	0 -	0 -	0 -	0 -
24	0 -	0 -	0 -	0 -	0 -
25	0 -	0 -	0 -	0 -	0 -
26	0 -	0 -	0 -	0 -	0 -
27	0 -	0 -	0 -	0 -	0 -
28	0 -	0 -	0 -	0 -	0 -
29	0 -	0 -	0 -	0 -	0 -
30	0 -	16 *	1 *	0 -	17 *
31	1 *	50 *	13 0.1	8 *	72 *
32	0 -	97 *	48 0.4	16 *	161 *
33	11 0.1	403 0.1	119 0.9	51 *	584 0.1
34	41 0.3	1,350 0.2	229 1.8	215 0.2	1,835 0.3
35	135 1.0	3,463 0.6	415 3.2	503 0.7	4,516 0.7
36	349 2.5	8,527 1.4	648 5.0	987 1.5	10,511 1.6
37	762 5.4	19,809 3.3	958 7.4	2,271 3.0	23,800 3.6
38	1,317 9.3	43,349 7.2	1,553 12.1	4,388 6.9	50,607 7.6
39	2,182 15.5	80,103 13.2	1,899 14.7	7,537 13.4	91,721 13.8
40	2,677 19.0	112,381 18.6	2,118 16.5	6,962 23.0	124,138 18.7
41	2,489 17.7	119,896 19.8	1,930 15.0	5,632 21.2	129,947 19.5
42	1,903 13.5	95,190 19.8	1,497 11.6	2,794 17.2	101,384 15.2
43	1,225 8.7	60,735 15.7	869 6.7	963 8.5	63,792 9.6
44	638 4.5	33,163 10.0	380 3.0	304 2.9	34,485 5.2
45 & above	371 2.6	26,536 9.9	198 1.5	175 1.4	27,280 4.1
Average	40.4	40.8	39.6	39.5	40.1
Extraneous matter					
Bark	149 1.1	754 0.1	32 0.2	36 0.1	971 0.1
Grass	37 0.3	1,788 0.3	288 2.2	65 0.2	2,178 0.3
Spindle twist	47 0.3	5,134 0.8	21 0.2	22 0.1	5,224 0.8
Preparation	1 *	11,460 1.9	1 *	5 *	11,467 1.7

* Less than 0.05 percent.

NOTE: Totals may not add due to rounding.

